

Table 1. HIV Diagnoses in 2017-2019¹ by Gender, Age Group, Race/Ethnicity, Transmission Category, and Housing Status in East Service Planning Area (SPA 7) and Los Angeles County, Reported by December 31, 2020

	East (SPA 7)						Los Angeles County					
	2017		2018		2019		2017		2018		2019	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Gender												
Male	147	88.0	150	89.3	114	88.4	1,543	88.0	1,493	87.2	1,276	84.7
Female	16	9.6	17	10.1	11	8.5	175	10.0	185	10.8	172	11.4
Transgender	<5	-	<5	-	<5	-	36	2.1	34	2.0	59	3.9
Age Group (Yr)												
<18	<5	-	<5	-	<5	-	14	0.8	12	0.7	15	1.0
18-29	79	47.3	69	41.1	44	34.1	724	41.3	710	41.5	566	37.6
30-39	41	24.6	48	28.6	45	34.9	494	28.2	497	29.0	465	30.9
40-49	22	13.2	29	17.3	22	17.1	276	15.7	265	15.5	228	15.1
50-59	15	9.0	15	8.9	14	10.9	174	9.9	147	8.6	175	11.6
≥60	8	4.8	7	4.2	<5	-	72	4.1	81	4.7	58	3.8
Race/Ethnicity												
White	15	9.0	19	11.3	14	10.9	364	20.8	347	20.3	322	21.4
African American	11	6.6	18	10.7	8	6.2	359	20.5	390	22.8	320	21.2
Latinx	125	74.9	118	70.2	99	76.7	839	47.8	834	48.7	735	48.8
Asian/Pacific Islander	11	6.6	9	5.4	6	4.7	115	6.6	88	5.1	82	5.4
American Indian/Alaskan Native ²	<5	-	<5	-	<5	-	14	0.8	10	0.6	<5	-
Multi-race	5	3.0	<5	-	<5	-	63	3.6	43	2.5	46	3.1
Transmission Category³												
Male-male sexual contact (MSM)	140	83.8	145	86.3	107	82.9	1,466	83.6	1,395	81.5	1,203	79.8
Injection drug use (IDU)	10	6.0	5	3.0	5	3.9	99	5.6	100	5.8	88	5.8
MSM/IDU	<5	-	<5	-	<5	-	54	3.1	61	3.6	61	4.0
Heterosexual contact ⁴	13	7.8	15	8.9	14	10.9	132	7.5	154	9.0	148	9.8
Other risk ⁵	<5	-	<5	-	<5	-	<5	-	<5	-	8	0.5
Housing Status at Time of Diagnosis												
Housed	158	94.6	163	97.0	120	93.0	1,643	93.7	1,589	92.8	1,397	92.7
Unhoused	9	5.4	5	3.0	9	7.0	111	6.3	123	7.2	110	7.3
Total	167	100.0	168	100.0	129	100.0	1,754	100.0	1,712	100.0	1,507	100.0

¹ Data are provisional due to reporting delay and subject to change. Caution should be applied when interpreting the results.

² American Indian/Alaskan Native race includes all non-Latino persons reported with an American Indian/Alaskan Native race, regardless of whether any other race was reported.

³ Persons without reported risk information were re-distributed to a valid risk category using multiple imputation (MI) methods. Due to rounding, the sum may not add up to the total and the percentages may not add to 100.

⁴ Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

⁵ Other risk includes perinatal exposure and risk factor not reported/identified.

Table 2. Persons Living with Diagnosed HIV (PLWDH) Infection at year-end 2018-2020¹ by Gender, Age Group, Race/Ethnicity, Transmission Category, and Housing Status in East Service Planning Area (SPA 7) and Los Angeles County, Reported by December 31, 2020

	East (SPA 7)						Los Angeles County					
	2018		2019		2020		2018		2019		2020	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Gender												
Male	3,123	85.1	3,142	84.8	3,219	85.2	45,017	87.2	45,488	87.1	46,046	87.1
Female	498	13.6	518	14.0	510	13.5	5,721	11.1	5,819	11.1	5,866	11.1
Transgender	48	1.3	47	1.3	48	1.3	874	1.7	935	1.8	966	1.8
Age Group (Yr)												
<18	<5	-	5	0.1	<5	-	64	0.1	64	0.1	52	0.1
18-29	408	11.1	375	10.1	354	9.4	4,524	8.8	4,303	8.2	3,945	7.5
30-39	776	21.2	784	21.1	782	20.7	10,039	19.5	10,208	19.5	10,215	19.3
40-49	872	23.8	875	23.6	872	23.1	11,844	22.9	11,516	22.0	11,161	21.1
50-59	1,021	27.8	1,029	27.8	1,059	28.0	15,900	30.8	15,963	30.6	16,030	30.3
≥60	588	16.0	639	17.2	708	18.7	9,241	17.9	10,188	19.5	11,475	21.7
Race/Ethnicity												
White	407	11.1	389	10.5	397	10.5	14,315	27.7	14,220	27.2	14,191	26.8
African American	257	7.0	242	6.5	243	6.4	10,231	19.8	10,409	19.9	10,597	20.0
Latinx	2,811	76.6	2,879	77.7	2,929	77.5	23,025	44.6	23,451	44.9	23,851	45.1
Asian/Pacific Islander	117	3.2	125	3.4	135	3.6	1,880	3.6	1,975	3.8	2,042	3.9
American Indian/Alaskan Native ²	14	0.4	11	0.3	7	0.2	320	0.6	313	0.6	313	0.6
Multi-race	63	1.7	61	1.6	66	1.7	1,841	3.6	1,874	3.6	1,884	3.6
Transmission Category³												
Male-male sexual contact (MSM)	2,812	76.6	2,832	76.4	2,919	77.3	40,409	78.3	40,937	78.4	41,476	78.4
Injection drug use (IDU)	198	5.4	206	5.6	197	5.2	2,654	5.1	2,674	5.1	2,714	5.1
MSM/IDU	158	4.3	152	4.1	147	3.9	2,962	5.7	2,942	5.6	2,951	5.6
Heterosexual contact ⁴	453	12.3	466	12.6	461	12.2	5,179	10.0	5,271	10.1	5,308	10.0
Other risk ⁵	48	1.3	51	1.4	53	1.4	408	0.8	419	0.8	429	0.8
Housing Status at Time of Diagnosis												
Housed	3,628	98.9	3,661	98.8	3,739	99.0	50,527	97.9	51,066	97.7	51,734	97.8
Unhoused	41	1.1	46	1.2	38	1.0	1,085	2.1	1,176	2.3	1,144	2.2
Total	3,669	100.0	3,707	100.0	3,777	100.0	51,612	100.0	52,242	100.0	52,878	100.0

¹ Data are provisional due to reporting delay and subject to change. Caution should be applied when interpreting the results.

² American Indian/Alaskan Native race includes all non-Latino persons reported with an American Indian/Alaskan Native race, regardless of whether any other race was reported.

³ Persons without reported risk information were re-distributed to a valid risk category using multiple imputation (MI) methods. Due to rounding, the sum may not add up to the total and the percentages may not add to 100.

⁴ Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

⁵ Other risk includes perinatal exposure, hemophilia/transfusion, and risk factor not reported/identified.

Table 3. HIV care continuum indicators in 2015-2020¹ among persons living with diagnosed HIV infection in East Service Planning Area (SPA 7) and Los Angeles County, Reported by December 31, 2020

East (SPA 7)												
Year	HIV diagnoses No.	Linked to care in 1 month ^{2,3}		PLWDH ⁴ No.	Engaged in care ^{2,5}		Retained in care ^{2,5}		No. of persons with ≥ 1 VL test No.	Viral Suppression ² (VL < 200)		
		No.	%		No.	%	No.	%		Virally suppressed No.	Among PLWDH ⁵ %	Among persons with ≥ 1 VL test ⁶ %
2015	170	107	62.9	3,233	2,398	74.2	1,950	60.3	2,365	2,102	65.0	88.9
2016	181	125	69.1	3,300	2,418	73.3	1,966	59.6	2,397	2,123	64.3	88.6
2017	167	116	69.5	3,376	2,450	72.6	1,968	58.3	2,428	2,196	65.0	90.4
2018	168	125	74.4	3,514	2,592	73.8	2,056	58.5	2,569	2,337	66.5	91.0
2019	129	103	79.8	3,582	2,655	74.1	2,135	59.6	2,627	2,396	66.9	91.2
2020	.	.	.	3,675	2,592	70.5	1,831	49.8	2,552	2,380	64.8	93.3

Los Angeles County												
Year	HIV diagnoses No.	Linked to care in 1 month ^{2,3}		PLWDH ⁴ No.	Engaged in care ^{2,5}		Retained in care ^{2,5}		No. of persons with ≥ 1 VL test No.	Viral Suppression ² (VL < 200)		
		No.	%		No.	%	No.	%		Virally suppressed No.	Among PLWDH ⁵ %	Among persons with ≥ 1 VL test ⁶ %
2015	1,989	1,300	65.4	48,739	34,691	71.2	27,706	56.8	34,195	29,762	61.1	87.0
2016	1,891	1,296	68.5	48,687	34,077	70.0	26,820	55.1	33,602	29,676	61.0	88.3
2017	1,754	1,169	66.6	49,453	34,382	69.5	26,495	53.6	33,838	30,225	61.1	89.3
2018	1,712	1,262	73.7	49,905	34,680	69.5	26,834	53.8	33,830	30,350	60.8	89.7
2019	1,507	1,160	77.0	50,719	35,752	70.5	27,557	54.3	34,681	31,417	61.9	90.6
2020	.	.	.	51,895	34,929	67.3	23,809	45.9	33,641	30,954	59.6	92.0

¹ Data are provisional due to reporting delay and subject to change. Caution should be applied when interpreting the results. 2020 HIV diagnoses and linkage to care data are preliminary, and therefore are not shown.

² Persons are considered linked to care if there was at least one viral load, CD4+ T-cell, or genotype test within 1 month of an HIV diagnosis; persons are considered engaged in care if there were ≥ 1 viral load, CD4+ T-cell, or genotype tests in calendar year; persons are considered retained in care if there were ≥ 2 viral load, CD4+ T-cell, or genotype tests in calendar year, at least 3 months apart; persons are considered virally suppressed when the last VL test in calendar year was < 200 copies/mL.

³ Denominator for linkage to care includes persons who were reported with a new HIV diagnosis in the calendar year; does not include estimated persons unaware of HIV infection.

⁴ In this table, persons living with diagnosed HIV (PLWDH) are limited to those who were diagnosed with an HIV infection through the previous calendar year and living in LAC at calendar year-end, based on most recent residence.

⁵ Denominator for engagement and retention in care and overall viral load suppression in the calendar year includes persons diagnosed through the previous calendar year and living in LAC at calendar year-end based on most recent residence.

⁶ Denominator includes persons diagnosed with an HIV infection through the previous calendar year and living in LAC at calendar year-end, based on most recent residence, who had at least one documented VL test in the calendar year.