

LOS ANGELES COUNTY APPROVED POOL EQUIPMENT LIST

**Los Angeles County - Department of Public Health
Environmental Health – Recreational Waters Program
5050 Commerce Drive
Baldwin Park, CA 91706
(626) 430-5360
Recreational Waters Program Website
http://web1.phapps.lacounty.gov/eh/EP/rw/rw_main.htm
9/2/2020**

This list is an exclusive requirement for pool equipment use in Los Angeles County

DIATOMACEOUS EARTH FILTERS	2
RAPID SAND FILTERS	5
HIGH RATE SAND FILTERS	6
CARTRIDGE FILTERS	15
PUMPS	16
RECESSED AUTOMATIC SKIMMERS	21
FLOWMETERS	21
CHEMICAL CONTROLLERS	22
CHLORINATORS/CHEMICAL FEEDERS	22
CHLORINE GENERATORS	25
GAS CHLORINATORS	26
BROMINATORS	27
DRAIN COVERS	27
FLOOR INLET FITTINGS and SPA SHELLS ..	29
SUPPLEMENTAL EQUIPMENT / MATERIALS	29

DIATOMACEOUS EARTH FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
--------------	---------------	--

AquaRevival LLC

BSG 20	150	1.7
BSG 25	256	1.7
BSG 30	381	1.7
BSG 40	705	1.7
BSG 50	1118	1.7
BSG 60	1667	1.7

Competition Pool Accessories, Inc. (Formerly Jacuzzi)

EW75	35	2
EW100	45	2
EW125	57.5	2
EW150	70	2

Filtrex Inc.

EC-140	77.3	1.5
EC-145	103.0	1.6
EC-225	165.2	1.6
EC-225S	208.7	1.6
EC-350	277.9	1.6
EC-350S	410.2	1.4
EC-500	410.9	1.6
EC-500S	519.4	1.6
EC-700	559.6	1.6
EC-700S	707.3	1.6
EC-1000	740.5	1.6
EC-1275	935.8	1.6
EC-1400	1119.2	1.6
EC-1675	1216.6	1.4
EC-1675 (short)	1216.6	1.4
EC-2000	1481.0	1.6
EC-2100	1538.8	1.6
EC-2550	1871.6	1.6

Hayward Pool Products, Inc.[Pro-Grid]

DE2420X	24	2
DE3620X	36	2
DE4820X	48	2
DE6020X	60	2
DE7220X	72	2

[DEP Series]

DEP60	60	2
DEP80	80	1.875
DEP100	100	1.5

Leslie's Swimming Pool Supplies

(Manufactured by Hayward for Leslie's)

DELE42252	36	2
DELE42254	48	2
DELE42256	60	2
DELE42258	72	2

Nemato Corp.

NPC-024-0063	63	2
NPC-024-0063[1]	63	2
NPC-024-0078[1]	78	2
NPC-024-0086[1]	86	2
NPC-024-0080[2]	80	2
NPC-024-0100[2]	100	2
NPC-024-0111[2]	111	2
NPC-030-0070[1]	80	2
NPC-030-0088[1]	88	2
NPC-030-0097[1]	97	2
NPC-030-0108[1]	108	2
NPC-030-0136[1]	136	2
NPC-030-0149[1]	149	2
NPC-030-0138[2]	138	2
NPC-030-0174[2]	174	2
NPC-030-0191[2]	191	2
NPC-034-0093[1]	93	2
NPC-034-0117[1]	117	2
NPC-034-0129[1]	129	2
NPC-034-0139[1]	139	2
NPC-034-0174[1]	174	2
NPC-034-0191[1]	191	2
NPC-034-0177[2]	177	2
NPC-034-0223[2]	223	2
NPC-034-0246[2]	246	2
NPC-042-0158[1]	158	2
NPC-042-0198[1]	198	2
NPC-042-0218[1]	218	2
NPC-042-0215[1]	215	2
NPC-042-0270[1]	270	2
NPC-042-0297[1]	297	2
NPC-042-0275[2]	275	2
NPC-042-0345[2]	345	2
NPC-042-0380[2]	380	2
NPC-048-0231[1]	231	2
NPC-048-0289[1]	289	2
NPC-048-0318[1]	318	2
NPC-048-0288[1]	288	2
NPC-048-0360[1]	360	2
NPC-048-0397[1]	93	2
NPC-048-0369[2]	369	2
NPC-048-0462[2]	462	2
NPC-048-0508[2]	508	2
NPC-054-0307[1]	307	2
NPC-054-0384[1]	384	2
NPC-054-0423[1]	423	2
NPC-054-0372[1]	372	2
NPC-054-0466[1]	466	2
NPC-054-0512[1]	512	2
NPC-054-0476[2]	476	2
NPC-054-0595[2]	595	2
NPC-054-0656[2]	656	2
NPC-060-0380[1]	380	2
NPC-060-0475[1]	475	2
NPC-060-0523[1]	523	2
NPC-060-0475[1]	475	2
NPC-060-0595[1]	595	2
NPC-060-0654[1]	654	2
NPC-060-0609[2]	609	2
NPC-060-0761[2]	761	2
NPC-060-0838[2]	838	2
NPC-066-0460[1]	460	2
NPC-066-0575[1]	575	2
NPC-066-0633[1]	633	2
NPC-066-0645[1]	645	2
NPC-066-0807[1]	807	2

SP-49-48-1548	1211	1.67	SM-2072	72	2
SP-54-30-1996	1000	1.67	SM-4024	24	2
SP-54-38-1996	1285	1.67	SM-4036	36	2
SP-54-42-1996	1428	1.67	SM-4048	48	2
SP-55-48-2076	1625	1.67			
SP-60-30-2460	1232	1.67	[SMBW Series]		
SP-60-38-2460	1584	1.67	SMBW-2024	23	2
SP-60-42-2460	1760	1.67	SMBW-2036	35	2
			SMBW-2048	47	2
<u>Paddock Pool Equipment Co. Inc.</u>			SMBW-2060	58	2
			SMBW-2072	70	2
PPEC-140	77.3	1.5	SMBW-4024	24	2
PPEC-145	103.0	1.6	SMBW-4036	36	2
PPEC-225	165.2	1.6	SMBW-4048	48	2
PPEC-225S	208.7	1.6			
PPEC-350	277.9	1.6	[Titian RPM series]		
PPEC-350S	410.2	1.4	56623300	30	2
PPEC-500	410.9	1.6	56623400	40	2
PPEC-500S	519.4	1.6	56623500	50	2
PPEC-700	559.6	1.6			
PPEC-700S	707.3	1.6	<u>Sta-Rite Industries Inc.</u>		
PPEC-1000	740.5	1.6	(parent company Pentair)		
PPEC-1275	935.8	1.6			
PPEC-1400	1119.2	1.6	[System 2]		
PPEC-1675	1216.6	1.4	PLD50	30	2
PPEC-1675 (short)	1216.6	1.4	PLD70	36	1.94
PPEC-2000	1481.0	1.6			
PPEC-2100	1538.8	1.6	[System 3]		
PPEC-2550	1871.6	1.6	S7D75	37	2
			S7MD60	60	2
<u>Pentair Pool Products Inc. (Pac Fab Inc.)</u>			S7MD72	72	2
			S8D110	53	2
[Nautilus FNS]			<u>United Industries Inc.</u>		
FNS-24	24	2	PCT 150	128	2
FNS-36	36	2	PCT 200	173	2
FNS-48	48	2	PCT 300	255	2
FNS-60	60	2	PCT 400	339	2
			PCT 600	510	2
[FNS Plus]			<u>Waterway (B & S Plastics)</u>		
FNSP36	36	2	570-0024	24	2
FNSP48	48	2	570-0036	36	2
FNSP60	60	2	570-0048	48	2
			570-0060	60	2
[Quad Series]					
QUAD 60	60	2	<u>Whitten Products</u>		
QUAD 80	80	2	[Vacuum DE]		
QUAD 100	100	2	WDE-250	250	1
			WDE-300	300	1
[Nautilus]			WDE-350	350	1
NS24	24	2	WDE-400	400	1
NS36	36	2	WDE-450	450	1
NS48	48	2	WDE-500	500	1
NS60	60	2	WDE-600	600	1
NS72	72	2	WDE-700	700	1
			WDE-800	800	1
[Nautilus Plus]			WDE-900	900	1.5
NSP36	36	2	WDE-1000	1000	1.5
NSP48	48	2			
NSP60	60	2	<u>Zodiac Pool Systems, LLC (Jandy Pool Products)</u>		
NSP72	72	2			
			DEL48	48	2
[SM/SM 2000 Series]					
SM-2024	24	2			
SM-2036	36	2			
SM-2048	48	2			
SM-2060	60	2			

DEV48	48	2	54-SDC	31.8	3
DEL60	60	2	60-SDC	39.3	3
DEV60	60	2	66-SDC	47.5	3
			72-SDC	56.5	3
			78-SDC	66.4	3
			84-SDC	77.0	3
<u>RAPID SAND FILTERS</u>					
Model	Sq.Ft.	Maximum flow rate gpm/sq.ft.			
<u>Neptune-Benson, Inc</u>					
(1 Tank Single Cell)					
102-SRF	56.8	3	42-STC	28.9	3
108-SRF	63.6	3	48-STC	37.8	3
114-SRF	70.9	3	54-STC	47.7	3
120-SRF	70.9	3	60-STC	58.8	3
36-SRF	7.1	3	66-STC	71.4	3
42-SRF	9.6	3	72-STC	84.9	3
48-SRF	12.6	3	78-STC	99.6	3
54-SRF	15.9	3	84-STC	115.5	3
60-SRF	19.6	3			
66-SRF	23.8	3	(2 Tanks in Series 2 Cells/Tank)		
72-SRF	28.3	3	42-DDC	38.4	3
78-SRF	33.2	3	48-DDC	50.2	3
84-SRF	38.5	3	54-DDC	60.6	3
90-SRF	44.2	3	60-DDC	78.6	3
96-SRF	50.3	3	66-DDC	95.0	3
			72-DDC	113.0	3
			78-DDC	132.8	3
			84-DDC	154.0	3
(2 Tanks in Series Single Cell)					
102-DRF	113.6	3	(2 Tanks in Series 3 Cells/Tank)		
108-DRF	127.2	3	42-DTC	57.8	3
114-DRF	141.8	3	48-DTC	75.6	3
120-DRF	157.0	3	54-DTC	95.4	3
36-DRF	14.1	3	60-DTC	117.6	3
42-DRF	19.2	3	66-DTC	142.8	3
48-DRF	25.1	3	72-DTC	169.8	3
54-DRF	31.8	3	78-DTC	199.2	3
60-DRF	39.3	3	84-DTC	231.0	3
66-DRF	47.5	3			
72-DRF	56.5	3	(3 Tanks in Series 2 Cells/Tank)		
78-DRF	66.4	3	42-TDC	57.6	3
84-DRF	77.0	3	48-TDC	75.3	3
90-DRF	88.4	3	54-TDC	95.4	3
96-DRF3	100.5	3	60-TDC	117.9	3
			66-TDC	142.5	3
			72-TDC	169.5	3
			78-TDC	199.2	3
			84-TDC	231.0	3
(3 Tanks in Series Single Cell)					
102-TRF	170.4	3	(3 Tanks in Series 3 Cells/Tank)		
108-TRF	190.8	3	42-TTC	86.7	3
114-TRF	212.7	3	48-TTC	113.4	3
120-TRF	235.5	3	54-TTC	143.1	3
36-TRF	21.2	3	60-TTC	176.4	3
42-TRF	29.8	3	66-TTC	214.2	3
48-TRF	37.8	3	72-TTC	254.7	3
54-TRF	47.7	3	78-TTC	298.8	3
60-TRF	58.8	3	84-TTC	346.5	3
66-TRF	71.4	3			
72-TRF	84.9	3			
78-TRF	99.6	3			
84-TRF	115.5	3			
90-TRF	132.6	3			
96-TRF	150.9	3			
(1 Tank 2 Cells Tank)					
42-SDC	19.2	3			
48-SDC	25.1	3			
			<u>Paddock Pool Equipment Co. Inc.</u>		
			6701		
			60XX		Varies with model number. See NSF listing. Max flow 3 gpm/sq. ft.
			61XX		
			67XX		
			<u>Whitten Products</u>		

[Vacuum Filters]

1U-1C-X

1U-2C-X

1U-3C-X

Varies with model number.
See NSF listing. Maximum
flowrate 3 gpm/sq/ft

HIGH RATE SAND FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
-------	--------	-----------------------------------

Astral Products Inc.

06632	21.64	15
06633	27.34	20
06634	33.80	20
06635	9.26	15
06676	12.16	10
06677	16.58	10
06678	27.34	10
06679	33.80	10
06680	12.16	15
06681	16.58	20
06682	9.26	20
06683	12.16	20
06684	21.64	20
06804	9.26	20
06805	12.16	20
27802	4.75	20
27803	6.84	20
27857	6.84	20

[Horizontal]

07129	53	20
05110	75	20
11319	21	20
11325	26	20
11330	30	20
20895	34	20
20896	24	20
20897	29	20
20898	34	20
20899	38	20
20900	32	20
20901	37	20
20902	46	20
20903	51	20

Baker Hydro

F3-24-63	3.1	20
HRV-24	3.1	20
HRV-30	4.9	20
HRV-36	7.0	20

Competition Pool Accessories, Inc. (formerly Jacuzzi)

ST-24	3.0	20
ST-27	4.0	20
ST-33	6.0	20
TM26	3.75	20
TM31	4.8	20

EPD USA Inc. (See NSF Listing)

34-13.5 FRP Series		
EPD XFXX (Multiples of 13.5 ft ²)	13.5	20

34-17 FRP Series		
EPD XFXX (Multiples of 17 ft ²)	17.0	20

42-20 FRP Series		
EPD XFXX (Multiples of 20 ft ²)	20.0	20

Steel Series		
EPD X-XX	Varies	20

Eureka Manufacturing Co. Inc.

HRG 48	12.6	15
HRL 48	12.6	20
HRL 54	15.9	20
HRL 60	19.6	20
HRL 66	23.7	20
HRL 72	28.3	20
HRL 78	33.2	20
HRL 84	38.5	20
HRL 90	44.2	20
HRL 248	25.2	20
HRL 254	31.8	20
HRL 260	39.2	20
HRL 266	47.4	20
HRL 272	56.6	20
HRL 278	66.4	20
HRL 284	77.0	20
HRL 290	88.4	20
HRL 296	110.6	20
HRL 2102	113.4	20
HRL 2108	127.2	20
HRL 2120	157	20

(NSF listed units begin with serial number N1250)

Fluidra USA

[Aster Series Vertical]

16451-X	6.77	20
27802-X	4.75	20
27803-X	6.77	20
27857-X	6.77	20
28342-X	3.14	20
28342-S3	3.22	20
61384U-0100	4.75	20
61385U-0100	7.10	20
66709-S3	7.69	20
66710-S3	7.69	20
66711-S3	7.69	20

[Eko3 Series Horizontal]

EKO34135-XXX-T	13.5	20
EKO34153-XXX-T	15.3	20
EKO42157-XXX-T	15.7	20
EKO34175-XXX-T	17.5	20
EKO42175-XXX-T	17.5	20
EKO34193-XXX-T	19.3	20
EKO42210-XXX-T	21	20
EKO42230-XXX-T	23	20
EKO34237-XXX-T	23.7	20
EKO48240-XXX-T	24	20
EKO42260-XXX-T	26	20
EKO42300-XXX-T	30	20
EKO63320-XXX-T	32	20

EKO42340-XXX-T	34	20	S4-8161-6 20	28.4	20
EKO48340-XXX-T	34	20	S5-8161-6 20	35.5	20
EKO63370-XXX-T	37	20	S6-8161-6 20	42.6	20
EKO42380-XXX-T	38	20	90-S-9746-3 20	7.4	20
EKO48380-XXX-T	38	20	S2-9746-4 20	14.8	20
EKO63410-XXX-T	41	20	S3-9746-6 20	22.2	20
EKO42420-XXX-T	42	20	S4-9746-6 20	29.6	20
EKO48440-XXX-T	44	20	S5-9746-8 20	37	20
EKO42450-XXX-T	45	20	S6-9746-8 20	44.4	20
EKO63460-XXX-T	46	20	90-S-8191-3 20	9.8	20
EKO42480-XXX-T	48	20	S2-8191-4 20	19.6	20
EKO48480-XXX-T	48	20	S3-8191-6 20	29.4	20
EKO63510-XXX-T	51	20	S4-8191-6 20	39.2	20
			S5-8191-8 20	49	20
[Poltank Series Vertical]			S6-8191-8 20	58.8	20
340608-XXX-XX-X	6.08	20	90-S-9791-4 20	12.2	20
420926-XXX-XX-X	9.26	20	S2-9791-4 20	24.4	20
471216-XXX-XX-X	12.16	20	S3-9791-6 20	36.6	20
551658-XXX-XX-X	16.58	20	S4-9791-6 20	48.8	20
632164-XXX-XX-X	21.64	20	S5-9791-8 20	61	20
712734-XXX-XX-X	27.34	20	S6-9791-8 20	73.2	20
793380-XXX-XX-X	33.80	20	90-S-81122-4 20	12.4	20
864030-XXX-XX-X	40.30	20	S2-81122-6 20	24.8	20
934672-XXX-XX-X	46.72	20	S3-81122-6 20	37.2	20
			S4-81122-8 20	49.6	20
<u>Hayward Pool Products, Inc.</u>			S5-81122-8 20	62	20
			S6-81122-10 20	74.4	20
HCF230	5.01	20	90-S-97122-4 20	15.3	20
HCF234	5.86	20	S2-97122-6 20	30.6	20
HCF236	7.14	20	S3-97122-6 20	45.9	20
HCF302	4.75	20	S4-97112-8 20	61.2	20
HCF362	6.77	20	S5-97122-10 20	76.5	20
HCF363	6.77	20	S6-97122-10 20	91.8	20
HCF302T	4.9	20	90-S-81152-4 20	15.2	20
HCF342T	6.3	20	S2-81152-6 20	30.4	20
HCF343F	6.3	20	S3-81152-6 20	45.6	20
HCF343T	6.3	20	S4-81152-8 20	60.8	20
HCF362T	7.2	20	S5-81152-1020	76	20
HCF363F	7.2	20	S6-81152-10 20	91.2	20
HCF363T	7.2	20	90-S-97152-4 20	18.4	20
S-160T	1.4	20	S2-97152-6 20	36.8	20
S-180T	1.7	20	S3-97152-8 20	55.2	20
S-200	2.2	20	S4-97152-10 20	73.6	20
S-210-S	2.2	20	S5-97152-12 20	92	20
S-210T	2.2	20	S6-97152-12 20	110.4	20
S-220S	2.6	20			
S-220T	2.6	20	<u>Leslie's Swimming Pool Supplies</u>		
S-230TPL	2.6	20	(Manufactured by Hayward for Leslie's)		
S-240	3.1	20			
S-244SX	3.1	20	SELE42082	2.2	20
S-244T	3.1	20	SELE42804	3.1	20
S-310SX	4.9	20	SELE42086	4.9	20
S-310T	4.9	20	<u>Miami Tank Mfg. Company</u>		
S-311SX	4.9	20			
S-360SX	6.7	20	[Horizontal]		
<u>Hydrokleen Systems Inc.</u>			HH361-4	13.5	20
90-S-8146-2 20	5.6	20	HH362-4	27.0	20
S2-8146-3 20	11.2	20	HH363-6	40.5	20
S3-8146-4 20	16.8 2	0	HH363-8	40.5	20
S4-8146-6 20	22.4	20	HH364-6	54.0	20
S5-8146-6 20	28	20	HH364-8	54.0	20
S6-8146-6 20	33.6	20	HH365-6	67.5	20
90-S-8161-3 20	7.1	20	HH365-8	67.5	20
S2-8161-3 20	14.2	20	HH366-6	81.0	20
S3-8161-4 20	21.3	20	HH366-8	81.0	20
			HH366-10	81.0	20

HH367-8	94.5	20	NFS-114-050-708V-D-X	70.8	20
HH367-10	94.5	20	NFS-120-050-785V-D-X	78.5	20
HH368-10	108.0	20	NFS-30-050-049V-D-X	4.9	20
HH421-4	27.0	20	NFS-30-050-049V-S-X	4.9	20
HH422-8	54.0	20	NFS-34-050-063V-D-X	6.3	20
[Vertical Side Mount]			NFS-34-050-063V-S-X	6.3	20
SFV36	7.1	20	NFS-42-050-096V-D-X	9.6	20
SFV42	9.6	20	NFS-42-050-096V-S-X	9.6	20
SFV48	12.6	20	NFS-48-050-126V-D-X	12.6	20
SFV54	15.9	20	NFS-48-050-126V-S-X	12.6	20
SFV60	19.6	20	NFS-54-050-159V-D-X	15.9	20
SFV66	23.7	20	NFS-54-050-159V-S-X	15.9	20
SFV72	28.1	20	NFS-60-050-196V-D-X	19.6	20
SFV78	33.2	20	NFS-66-050-237V-D-X	23.7	20
SFV84	38.5	20	NFS-72-050-282V-D-X	28.2	20
SFV90	44.2	20	NFS-78-050-332V-D-X	33.2	20
SFV96	50.3	20	NFS-84-050-385V-D-X	38.5	20
SFV102	56.7	20	NFS-90-050-442V-D-X	44.2	20
SFV108	63.6	20	NFS-96-050-502V-D-X	50.2	20
SFV114	76.9	20	NFS-30-2-049-T	4.9	20
SFV120	78.5	20	NFS-34-2-063-T	6.3	20
SFV248	25.2	20	NFS-34-3-063-F	6.3	20
SFV254	31.8	20	NFS-34-3-063-T	6.3	20
SFV260	39.2	20	NFS-36-2-072-T	7.2	20
SFV266	47.4	20	NFS-36-3-072-F	7.2	20
SFV272	56.6	20	NFS-36-3-072-T	7.2	20
SFV278	66.4	20			
SFV284	77.0	20	<u>Neptune-Benson, Inc</u>		
SFV290	88.4	20	(1 Tank Single Cell)		
SFV296	100.6	20	114-SRF	70.9	20
SFV2102	113.14	20	120-SRF	78.5	20
SFV2108	127.2	20	36-SRF	7.1	17
SFV2114	141.8	20	36-SRF-EB	7.1	15
SFV2120	157.0	20	42-SRF	9.6	20
			42-SRF-EB	9.6	15
<u>Nemato Corp.</u>			48-SRF	12.6	20
[EK03 series]			48-SRF-EB	12.6	15
EKO-34-100-X	10	20	54-SRF	15.9	20
EKO-34-126-X	12.6	20	54-SRF-EB	15.9	15
EKO-34-153-X	15.3	20	60-SRF	19.6	20
EKO-34-193-X	19.3	20	60-SRF-EB	19.6	15
EKO-34-237-X	23.7	20	66-SRF	23.8	20
EKO-42-200-X	20	20	66-SRF-EB	23.8	15
EKO-42-225-X	22.5	20	72-SRF	28.3	20
EKO-42-250-X	25	20	72-SRF-EB	28.3	15
EKO-42-275-X	27.5	20	78-SRF	33.2	20
EKO-42-310-X	31	20	78-SRF-EB	33.2	15
EKO-42-360-X	36	20	84-SRF	38.5	20
EKO-42-410-X	41	20	84-SRF-EB	38.5	15
EKO-42-460-X	46	20	90-SRF	44.2	20
EKO-60-350-X	35	20	90-SRF-EB	44.2	15
EKO-60-400-X	40	20	96-SRF	50.3	20
EKO-60-450-X	45	20	96-SRF-EB	50.3	15
EKO-60-500-X	50	20	(2 Tanks in Series Single Cell)		
EKO-60-550-X	55	20	102-DRF	113.6	20
EKO-60-600-X	60	20	102-DRF-EB	113.6	15
EKO-60-650-X	65	20	108-DRF	127.2	20
EKO-60-700-X	70	20	114-DRF	141.8	20
EKO-60-750-X	75	20	120-DRF	157.0	20
EKO-60-800-X	80	20	36-DRF	14.1	17
[NFS series]			36-DRF-EB	14.1	15
NFS-102-050-567V-D-X	56.7	20	42-DRF	19.2	20
NFS-108-050-635V-D-X	63.5	20	42-DRF-EB	19.2	15
			48-DRF	25.1	20

48-DRF-EB	25.1	15	120-STC	235.6	13
54-DRF	31.8	20	36-STC	21.2	20
54-DRF-EB	31.8	15	42-STC	28.9	20
60-DRF	39.3	20	48-STC	37.8	20
60-DRF-EB	39.3	15	54-STC	47.7	20
66-DRF	47.5	20	60-STC	58.8	20
66-DRF-EB	47.5	15	66-STC	71.4	20
72-DRF	56.5	20	72-STC	84.9	20
72-DRF-EB	56.5	15	78-STC	99.6	20
78-DRF	66.4	20	84-STC	115.5	20
78-DRF-EB	66.4	15	90-STC	132.6	20
84-DRF	77.0	20	96-STC	150.9	20
84-DRF-EB	77.0	15			
84-DRF-EB	77.0	15	(2 Tanks in Series 2 Cells/Tank)		
96-DRF-EB	100.5	15	102-DDC	227.2	20
			108-DDC	254.4	20
(3 Tanks in Single Series Cell)			114-DDC	283.6	14
102-TRF	170.4	20	120-DDC	314.0	13
102-TRF-EB	170.4	15	36-DDC	28.2	20
108-TRF	190.8	20	42-DDC	38.4	20
114-TRF	212.7	20	48-DDC	50.2	20
120-TRF	235.5	20	54-DDC	63.6	20
36-TRF	21.2	17	60-DDC	78.6	20
36-TRF-EB	21.2	15	66-DDC	95.0	20
42-TRF	29.8	20	72-DDC	113.0	20
42-TRF-EB	29.8	15	78-DDC	132.8	20
48-TRF	37.8	20	84-DDC	154.0	20
48-TRF-EB	37.8	15	90-DDC	176.8	20
54-TRF	47.7	20	96-DDC	201.0	20
54-TRF-EB	47.7	15			
60-TRF	58.8	20	(2 Tanks in Series 3 Cells/Tank)		
60-TRF-EB	58.8	15	102-DTC	340.8	20
66-TRF	71.4	20	108-DTC	381.6	20
66-TRF-EB	71.4	15	114-DTC	425.4	14
72-TRF	84.9	20	120-DTC	471.0	13
72-TRF-EB	84.9	15	36-DTC	42.4	20
78-TRF	99.6	20	42-DTC	57.6	20
78-TRF-EB	99.6	15	48-DTC	75.6	20
84-TRF	115.5	20	54-DTC	95.4	20
84-TRF-EB	115.5	15	60-DTC	117.6	20
90-TRF	132.6	20	66-DTC	142.8	20
90-TRF-EB	132.6	15	72-DTC	169.8	20
96-TRF	150.9	20	78-DTC	199.2	20
96-TRF-EB	150.9	15	84-DTC	231.0	20
			90-DTC	265.2	20
			96-DTC	301.8	20
(1 Tank 2 Cells/Tank)					
102-SDC	113.6	20	(3 Tanks in Series 2/Cells Tank)		
108-SDC	127.2	20	102-TDC	340.8	20
114-SDC	141.8	14	108-TDC	381.6	20
120-SDC	157.0	13	114-TDC	425.4	14
36-SDC	14.1	20	120-TDC	471.0	13
42-SDC	19.2	20	36-TDC	42.3	20
48-SDC	25.1	20	42-TDC	57.6	20
54-SDC	31.8	20	48-TDC	75.6	20
60-SDC	39.3	20	54-TDC	95.4	20
66-SDC	47.5	20	60-TDC	117.6	20
72-SDC	56.5	20	66-TDC	142.8	20
78-SDC	66.4	20	72-TDC	169.8	20
84-SDC	77.0	20	78-TDC	199.2	20
90-SDC	88.4	20	84-TDC	231.0	20
96-SDC	100.5	20	90-TDC	265.2	20
			96-TDC	301.8	20
(1 Tank 3 Cells/Tank)					
102-STC	170.4	20	(3 Tanks in Series 3/Cells Tank)		
108-STC	190.8	20	102-TTC	511.2	20
114-STC	212.7	14			

6722-V	4.9	20	6730-H-6-1C	47.19	20
6723-V	7	20	6723-H-8-1C	26	20
6724-V	9.6	20	6724-H-8-1C	30.5	20
6725-V	12.5	20	6725-H-8-1C	35.15	20
6726-V	15.9	20	6726-H-8-1C	40	20
6727-V	19.6	20	6727-H-8-1C	44.87	20
6728-V	23.8	20	6728-H-8-1C	49.83	20
6729-V	28.2	20	6729-H-8-1C	55	20
6730-V	33.2	20	6730-H-8-1C	60.19	20
6731-V	38.4	20	6731-H-8-1C	65.42	20
6732-V	44.1	20	6732-H-8-1C	70.8	20
6733-V	50.2	20	6733-H-8-1C	76.25	20
6734-V	56.7	20	6723-H-10-1C	32	20
6735-V	63.6	20	6724-H-10-1C	37.5	20
6736-V	70.8	20	6725-H-10-1C	43.15	20
6737-V	78.5	20	6726-H-10-1C	49	20
[Horizontal Pressure Filters]			6727-H-10-1C	54.87	20
6723-H-8-2C	26.5	20	6728-H-10-1C	60.83	20
6724-H-8-2C	29	20	6729-H-10-1C	67	20
6725-H-8-2C	33	20	6730-H-10-1C	73.19	20
6726-H-8-2C	38	20	6731-H-10-1C	79.42	20
6727-H-8-2C	43	20	6732-H-10-1C	85.8	20
6728-H-8-2C	48	20	6733-H-10-1C	92.25	20
6729-H-8-2C	53	20	6723-H-5-1C	17	20
6730-H-8-2C	59	20	6724-H-5-1C	20	20
6731-H-8-2C	65	20	6725-H-5-1C	23.15	20
6732-H-8-2C	70	20	6726-H-5-1C	26.5	20
6733-H-8-2C	76	20	6727-H-5-1C	29.87	20
6734-H-8-2C	82	20	6723-H-12-1C	38	15
6735-H-8-2C	88	20	6724-H-12-1C	44.5	15
6737-H-8-2C	99	20	6725-H-12-1C	51.15	15
6723-H-10-2C	31	20	6726-H-12-1C	58	15
6724-H-10-2C	36	20	6727-H-12-1C	64.87	15
6725-H-10-2C	43	20	6728-H-12-1C	71.83	15
6726-H-10-2C	49	20	6729-H-12-1C	79	15
6727-H-10-2C	55	20	6730-H-12-1C	86.19	15
6728-H-10-2C	61	20	6731-H-12-1C	93.42	15
6729-H-10-2C	67	20	6732-H-12-1C	100.8	15
6730-H-10-2C	73	20	6733-H-12-1C	108.25	15
6731-H-10-2C	79	20	6723-H-7-1C	23.0	15
6732-H-10-2C	86	20	6724-H-7-1C	27.0	15
6733-H-10-2C	93	20	6725-H-7-1C	31.15	15
6734-H-10-2C	99	20	6726-H-7-1C	35.5	15
6735-H-10-2C	106	20	6727-H-7-1C	39.87	15
6723-H-6-2C	20	20	6728-H-7-1C	44.33	15
6724-H-6-2C	22	20	6729-H-7-1C	49.0	15
6725-H-6-2C	25	20	6730-H-7-1C	53.69	15
6726-H-6-2C	29	20	6731-H-7-1C	58.42	15
6727-H-6-2C	33	20	6723-H-9-1C	29.0	15
6728-H-6-2C	37	20	6724-H-9-1C	34.0	15
6729-H-6-2C	41	20	6725-H-9-1C	39.15	15
6730-H-6-2C	45	20	6726-H-9-1C	44.5	15
6731-H-6-2C	49	20	6727-H-9-1C	49.87	15
6732-H-6-2C	53	20	6728-H-9-1C	55.33	15
6733-H-6-2C	57	20	6729-H-9-1C	61.0	15
6723-H-4-1C	14	20	6730-H-9-1C	66.69	15
6724-H-4-1C	16.5	20	6731-H-9-1C	72.42	15
6725-H-4-1C	19.15	20	6732-H-9-1C	78.3	15
6723-H-6-1C	20	20	6733-H-9-1C	84.25	15
6724-H-6-1C	23.5	20	6723-H-11-1C	35.0	15
6725-H-6-1C	27.15	20	6724-H-11-1C	41.0	15
6726-H-6-1C	31	20	6725-H-11-1C	47.15	15
6727-H-6-1C	34.87	20	6726-H-11-1C	53.5	15
6728-H-6-1C	38.83	20	6727-H-11-1C	59.87	15
6729-H-6-1C	43	20	6728-H-11-1C	66.33	15
			6729-H-11-1C	73.0	15

6730-H-11-1C	79.69	15		
6731-H-11-1C	86.42	15		
6732-H-11-1C	93.3	15		
6733-H-11-1C	100.25	15		
[Horizontal Fiberglass Pressure]				
HZF-3415	15	15		
HZF-3430[9]	30	15		
HZF-4225	25	15		
HZF-4250[9]	50	15		
HZF-4828.5	28.5	15		
HZF-4857[9]	57	15		
HZF-6035	35	15		
HZF-6040	40	15		
HZF-3216.5	16.5	15		
HZF-3233	33	15		
HZF-3416.5	16.5	15		
HZF-3433[9]	33	15		
HZF-3620	20	15		
HZF-3623	23	15		
HZF-3625	25	15		
HZF-3640[9]	40	15		
HZF-3646	46	15		
HZF-3650	50	15		
HZF-4224	24	15		
HZF-4227	27	15		
HZF-4230	28	15		
HZF-4233	33	15		
HZF-4235	35	15		
HZF-4248	48	15		
HZF-4254[9]	54	15		
HZF-4260[9]	56	15		
HZF-4266[9]	66	15		
HZF-4270[9]	70	15		
HZF-4823	23	15		
HZF-4825	25	15		
HZF-4830	30	15		
HZF-4834	34	15		
HZF-4837	37	15		
HZF-4842	42	15		
HZF-4846[9]	46	15		
HZF-4850[9]	50	15		
HZF-4860	60	15		
HZF-4868[9]	68	15		
HZF-4874[9]	74	15		
HZF-4884[9]	84	15		
HZF-4892	92	15		
HZF-48100[9]	100	15		
HZF-6035	35	15		
HZF-6040	40	15		
HZF-6046	46	15		
HZF-6052	52	15		
HZF-6060	60	15		
HZF-6067	67	15		
HZF-6070[9]	70	15		
HZF-6080	80	15		
HZF-6092	92	15		
HZF-60104[9]	104	15		
HZF-60120	120	15		
HZF-60134[9]	134	15		
[8] Certified for freshwater/saltwater applications with Type 1 (<1500 ppm sodium chloride), Type 2 (1500-6000 ppm sodium chloride), and Type 3 (>6000 ppm sodium chloride) Water Applications.				
[9] Stacked tank unit.				
			[Vacuum Filter]	
			6740-1520	20 15
			6740-2020	20 20
			6740-1525	25 15
			6740-2025	25 20
			6745-1530	30 15
			6745-2030	30 20
			6745-1535	35 -15
			6745-2035	35 20
			6750-1540	40 15
			6750-2040	40 20
			6750-1542	42 15
			6750-2042	42 20
			6750-1550	50 15
			6750-2050	50 20
			6750-1560	60 15
			6750-2060	60 20
			6755-1565	65 15
			6755-2065	65 20
			6755-1575	75 15
			6755-2075	75 20
			6755-1585	85 15
			6755-2085	85 20
			6760-1590	90 15
			6760-2090	90 20
			6760-15100	100 15
			6760-20100	100 20
			6760-15110	110 15
			6760-20110	110 20
			6765-15115	115 15
			6765-20115	115 20
			6765-15125	125 15
			6765-20125	125 20
			6765-15135	135 15
			6765-20135	135 20
			6770-15140	140 15
			6770-20140	140 20
			6770-15150	150 15
			6770-20150	150 20
			6770-15160	160 15
			6770-20160	160 20
			6770-15170	170 15
			6770-20170	170 20
			6770-15180	180 15
			6770-20180	180 20
			6780-15190	190 15
			6780-20190	190 20
			6780-15200	200 15
			6780-20200	200 20
			6780-15210	210 15
			6780-20210	210 20
			6780-15220	220 15
			6780-20220	220 20
			6780-15230	230 15
			6780-20230	230 20
			6785-15240	240 15
			6785-20240	240 20
			6785-15250	250 15
			6785-20250	250 20
			6785-15260	260 20
			6785-20260	260 20
			9790-1515	15 15
			9790-2015	15 20
			9792-1520	20 15
			9792-2020	20 20

21603-1042	9.26	20	F148966W	38	20
21603-1047	12.16	20	F148086W	44	20
21603-1055	16.58	20	F148166W	48	20
21603-1063	21.64	20	F148206W	52	20
21603-1071	27.34	20	F148328W	56	20
21603-1079	33.80	20	F160606W	32	20
21603-1093	46.72	15	F160726W	37	20
			F160846W	46	20
HRPB 20	2.2	20	F160968W	51	20
HRPB 24	3.1	20	F160088W	57	20
HRPB 30	4.9	20	F160168W	63	20
			F160208W	68	20
[System 3]			F160328W	73	20
S7S50	2.4	20	F178008W	53	20
S8S70	3.4	20	F178388W	75	20
			P25142X	9.6	15
[Cristal-Flo Series]			P25148X	12.6	15
T-150 BP-1	1.2	20	P25154X	15.9	20
T-170 BP-1	1.6	20	P25160X	19.6	20
T-200 BP-1	2.2	20	P25166X	23.8	20
T-240 BP-1	3.1	20	P25172X	28.3	20
T-240 BP-2	3.1	20	P25178X	33.2	20
T-300 BP-2	4.9	20	P25184X	38.5	20
S-200BP-1M	2.1	20	P25190X	44.2	20
S-240BP-1M	3.1	20	P25196X	50.3	20
S-240BP-2S	3.1	20	P25102X	56.7	20
			P25108X	63.6	20
<u>United Industries Inc.</u>			P25114X	70.9	20
			P25120X	78.5	20
[Horizontal FRP Series Filters]			P25242X	19.2	15
F142484	16.8	20	P25248X	25.2	15
F142604	20.3	20	P25254X	31.8	15
F142606	20.3	20	P25260X	39.2	20
F142724	23.8	20	P25266X	47.6	20
F142726	23.8	20	P25272X	56.6	20
F142846	27.3	20	P25278X	66.4	20
F142966	30.8	20	P25284X	77.0	20
F148726	27.6	20	P25290X	88.4	20
F148846	31.6	20	P25296X	100.6	20
F148966	35.6	20	P25202X	113.4	20
F148086	39.6	20	P25208X	127.2	20
F148088	39.6	20	P25214X	141.8	20
F148206	43.6	20	P25220X	157.0	20
F148208	43.6	20	P25342X	28.8	15
F160726	35.7	20	P25348X	37.8	15
F160846	40.7	20	P25354X	47.7	15
F160848	40.7	20	P25360X	58.8	20
F160966	45.7	20	P25366X	71.4	20
F160968	45.7	20	P25372X	84.9	20
F160086	50.7	20	P25378X	99.6	20
F160088	50.7	20	P25384X	115.5	20
F160208	55.2	20	P25390X	132.6	20
			P25396X	150.9	20
[Horizontal High Rate Fiberglass]			P25302X	170.1	20
F142604W	21	20	P25308X	190.8	20
F142726W	26	20	P25314X	212.7	20
F142846W	30	20	P25320X	235.5	20
F142966W	34	20	P25442X	38.4	15
F142086W	38	20	P25448X	50.4	15
F142166W	42	20	P25454X	63.6	15
F142206W	45	20	P25460X	78.4	20
F142326W	48	20	P25466X	95.2	20
F148606W	24	20	P25472X	113.2	20
F148726W	29	20	P25478X	132.8	20
F148846W	34	20	P25484X	154.0	20

P25490X	176.8	20
P25496X	201.2	20
P25402X	226.8	20
P25408X	254.4	20
P25414X	283.6	20
P25420X	314.0	20

Waterco

[HRV Series]

22207208	2.17	20
22207248	3.14	20
22207308	4.91	20
22207368	7.07	20

Micron Commercial

220042341	9.62	20
220048241	12.56	20
22501054801	9.3	20
22501204101	12.2	20
22501404101	16.6	20
22501604101	21.6	20
22501604151	21.6	20
22501804151	27.4	20
22502004151	33.8	20

229105010014	9.3	20
229120010014	12.2	20
229140010014	16.6	20
224916001001	21.6	20
224916001501	21.6	20
224918041501	27.4	20
224920001514	33.8	20
2249220015014	40.9	20
2249235015014	46.7	20
2249250020014	52.8	20
2249300020014	75.9	20
2249350025014	103.8	20

Whitten Products

[Vacuum Filters]

WVS-12.5	12.5	15
WVS-20	20	15
WVS-30	30	15
WVS-40	40	15
WVS-50	50	15
WVS-60	60	15
WVS-100	100	15
WVS-120	120	15
WVS-140	140	15

HVSB-30	30	15
HVSB-40	40	20
HVSB-50	50	20
HVSB-60	60	20
HVSB-70	70	20
HVSB-80	80	20
HVSB-90	90	20
HVSB-100	100	20
HVSB-110	110	20
HVSB-120	120	20

1U-1C-X	Varies with model number	
1U-2C-X	See NSF listing. Maximum	
1U-3C-X	listing. Maximum flowrate	
	20gpm/sq/ft	

Zodiac Pool Systems, LLC (Formerly Jandy Pool Products)

JS100-SM	4.7	20
JS60-SM	2.9	20

CARTRIDGE FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
--------------	---------------	------------------------------------

Baker-Hydro

UM 50	50	0.375
UM 75	75	0.375
UM 100	100	0.375
UM 150	150	0.375

Competition Pool Accessories, Inc. (formerly Jacuzzi)

CFR-50	50	0.375
CFR-75	75	0.375
CFR-100	100	0.375
CFR-150	150	0.375
SHER-80	80	0.375
SHER-120	120	0.375
SHER-160	160	0.375
SHER-200	100	0.375
TC-300	300	0.375
TC-450	450	0.375
TC-600	600	0.375

Harmsco Inc.

BF 42-A or BF 42 BKM-A	42	0.375
BF 84-A or BF 84 BKM-A	84	0.375
BF 96-A or BF 96 BKM-A	96	0.375
BF 126-A or BF 126 BKM-A	126	0.375
BF 144-A or BF 144 BKM-A	144	0.375
BF 55 SCA	55	0.375
BF 105 SCA	105	0.375
BF 155 SC	155	0.375
BF 168	168	0.375
BF 336	336	0.375
BF 450	450	0.375
BF 600	600	0.375
BF 900FL	900	0.375
BF 1200FL	1200	0.375
HUR 170, HUR 170TC	170	0.375

Hayward Pool Products Inc.

[Star Clear Series]

C500	50	0.375
C750	75	0.375

[Star ClearPlus Series]

C1750X	175	0.343
C17502X	190	0.343
C751	75	0.375
C1200X	120	0.375

C900X	90	0.367
[Super Star Clear Series]		
C2000	200	0.375
C3000X	300	0.375
C3000BH	325	0.375
C3000H	325	0.375
C4000X	400	0.375
C4000BH	450	0.375
C4000CP	400	0.375
C4000H	450	0.375
C4000S	400	0.375
C5000	500	0.3
C5000BH	550	0.3
C5000H	550	0.3
[SwimClear]		
C2020	200	0.375
C2025	225	0.375
C2030	225	0.375
C3020	300	0.375
C3025	325	0.375
C3025AQ (Aquatech Label)	325	0.375
C3020AQ (Aquatech Label)	300	0.375
C3030	325	0.375
C4020	400	0.375
C4025	425	0.375
C4030	425	0.375
C4020CP	400	0.375
C4520BH (Blue Haven Label)	450	0.375
C4530BHMB	450	0.375
C5020	500	0.3
C5025	525	0.375
C5030	525	0.3
C5520BH (Blue Haven Label)	550	0.3
C5530BH	550	0.3
C5530BHMB	550	0.3
C7030	700	0.3
[High Performance HCF]		
HCF7030C (150 GPM Max. Flow)	700	0.3
<u>Pentair Pool Products Inc. (Pac Fab Inc.)</u>		
[CFW series]		
CFM 120	120	0.375
CFM 180	180	0.375
CFM 315	315	0.375
CFW 120	120	0.375
CFW 180	180	0.375
CFW 315	315	0.375
Clean and Clear		
CC50	50	0.375
CC75	75	0.375
CC100	100	0.375
CC150	150	0.375
CC200	200	0.375
Clean and Clear Plus		
CCP320	320	0.375
CCP420	420	0.375
CCP520	520	0.375
<u>Sta-rite Industries</u> (Parent company Pentair)		

[System 2]		
PLM100	100	0.370
PLM125	125	0.375
PLM150	150	0.370
PLM175	175	0.375
PLM200	200	0.375
PLM300	300	0.375
PTM50	50	0.375
PTM70	70	0.375
PTM100	100	0.375
PTM135	135	0.375

[System 3]		
S7M120	300	0.333
S7M400	400	0.288
S8M150	450	0.275
S8M500	500	0.260

[Posi-Clear]		
PXC75	75	0.375
PXC95	95	0.375
PXC125	125	0.375
PXC150	150	0.375

<u>Waterway (B & S Plastics)</u>		
570-0250	250	0.300
570-0325	325	0.350
570-0425	425	0.350
570-0525	525	0.300

<u>Waterco</u>		
C25	25	0.375
CC50	50	0.375
CC75	75	0.375
CC100	100	0.375
CC150	150	0.375

<u>Zodiac Pool Systems, LLC (Jandy Pool Products)</u>		
CS100[1]	100	0.375
CS150[1]	150	0.375
CS200[1]	200	0.375
CS250[1]	200	0.375
CL340	340	0.373
CL460	460	0.326
CL580	580	0.259
CV340	340	0.373
CV460	460	0.326
CV580	580	0.259

[1] Public Pool and Spa version only

PUMPS **HP** **gpm @ 60**

<u>Aqua-Flo, Inc.</u>		
[Dominator Series]		
15007000, 15407000	¾	51
15010000, 15410000	1	70
15015000, 15415000	1½	96
15020000, 15420000	2	118

California Pools

(manufactured by Hayward Pool Products for California Pools)

SP3110CP	1	73
SP3115CP	1½	94
SP3120CP	2	112

Competition Pool Accessories, Inc. (formerly Jacuzzi)

[Magnum Plus]

7MP-S or 1UMP-S	¾	55
1MP-S or 15UMP-S	1	69
15MP-S or 2UMP-S	1½	89
2MP-S or 25UMP-S	2	101
3MP-S	3	141

[Magnum Force]

7MF-S or 1UMF-S	¾	55
1MF-S or 15UMF-S	1	69
15MF-S or 2UMF-S	1½	89
2MF-S or 25UMF-S	2	101
3MF-S	3	141

Hayward

[HCP Series]

HCP20073	0.75	53
HCP20103	1	82
HCP20153	1.5	112
HCP20203	2	130
HCP20303	3	155
HCP20503	5	182
HCP30201	2	135
HCP30203	2	135
HCP30203C	2	135
HCP30301	3	168
HCP30303	3	168
HCP30303C	3	168
HCP30501	5	199
HCP30503	5	199
HCP30503C	5	199
HCP30703	7	266
HCP30703C	7	266
HCP55	5½	225
HCP75	7½	375
HCP100	10	450
HCP125	12½	525

[EcoStar Series] – Variable Speed

HCP3020VSP	2.7	139
HCP3206VSP	2.7	128
HCP3206VSPVR	2.7	128
SP3400VSP- Base Model	2.7	128
HCP3400VSP – Password Protection	2.7	128
SP3400VSPVR – SVRS	2.7	128
HCP3400VSPVR – Password/SVRS	2.7	128

[Super Series]

SP2602VSP	1½	32
SP2603VSP	1½	34
HL2670020VSP	1½	34
SP2670020VSP	1½	34
SP2670010X15	1½	36
SP2610X15	1½	50
SP2615X20	2	70
SP2621X25	2½	84

[Super II Series]

SP3007EEAZ	¾	56
SP3010EEAZ	1	73
SP3015EEAZ	1½	94
SP3020EEAZ	2	112
SP3025EEAZ	3	137
SP303063AZ	3	137
SP3005X7AZ	¾	30
SP3007X10AZ	1	56
SP3010X15AZ	1½	73
SP3015X20AZ	2	94
SP3020X25AZ	2½	112
SP3025X30AZ	3	137

[NorthStar Series]

SP4007NS	¾	56
SP4007NSAQ (Aquatech Label)	¾	56
SP4010NS	1	81
SP4010NSAQ (Aquatech Label)	1	81
SP4015NS	1½	105
SP4015NSAQ (Aquatech Label)	1½	105
SP4020NS	2	125
SP4020NSAQ (Aquatech Label)	2	125
SP4030NS	3	177

SP4007X10NS	1	59
SP4010X15NS	1½	81
SP4015X20NS	2	105
SP4020X25NS	2½	128
SP4025X30NS	3	142

SPLE-40012	¾	56
SPLE-40014	1	73
SPLE-40016	1½	94
SPLE-40018	2	112
SPLE-40020	2	136

[TriStar (VS) Series]

SP3207	¾	53
SP3207EE	¾	53
SP3207X10	1	53
SP3207X10BH	1	53
SP3210	1	82
SP3210EE	1	82
SP32102EE	1	82
SP3210X15	1½	82
SP3210X15BH	1½	82
SP3210X152	1½	82
SP3210X152BH	1½	82
SP3215	1½	112
SP3215EE	1½	112
SP32152EE	1½	112
SP3200VSP	1⅞	80
SP3200VSPND	1⅞	80
SP3202VSP	1⅞	80
SP3202VSPBH	1⅞	80
SP3202VSPND	1⅞	80
SP32900VSP	1⅞	80
HL32900VSP	1⅞	80
SP3215X20	2	112
SP3215X20BH	2	112
SP3215X202	2	112
SP3215X202BH	2	112
SP3220	2	130
SP3220EE	2	130
SP32202EE	2	130

SP3220X25	2½	116
SP3220X25BH	2½	116
SP3220X252	2½	116
SP3220X252BH	2½	116
HCP2500VSP	2.7	128
HCP2500VSPVR	2.7	128
SP3206VSP	2.7	128
SP3206VSPBH	2.7	128
SP3206VSPVR	2.7	128
HL32950VSP	2.7	128
SP32950VSP	2.7	128
SP3225X30	3	155
SP3225X30BH	3	155
SP3230	3	155
SP3230EE	3	155
SP323063EE	3	155
SP3250	5	182
SP3250EE	5	182

EE = Energy Efficient Motor
 X# = Max Rate HP Suffix
 BH = Private Label Brand
 EF = Energy Flow Equivalent Models for Leslie's
 VSP = Variable Speed
 VSPND = Variable Speed Pool Control

ITT Marlow

2AF1ECB2	2	87
2AF1ECB3	3	132
3B28EC-C2	7½	213
3B32EC-C2	5	319
4SPC10EC-10	10	500
4SPC15EC-15	15	675
4SPC20EC-20	20	900

*530 Series
 *610 Series
 *710 Series
 *Pool plans should specify the pump model and the flowrate at 60 feet of head.
 *All pumps require a hair/lint strainer.
 *A list of approved model numbers can be found in NSF listings.

(M) =Max. Rated Pump (F) =Full Rated Pump

Hybrid Pumps Inc.

Water Cobra X2C	3.0	134
-----------------	-----	-----

Leslie's Swimming Pool Supplies
 (Manufactured by Hayward for Leslie's)

<u>Tristar Series Equivalent Pumps</u>		
EF750	¾	53
EF1000	1	82
EF1500	1½	112
EF1502	1½	112
EF2000	2	130
EF2002	2	130
EF200VS	1⅞	80

<u>Super II Series Equivalent Pumps</u>		
RS-750	¾	56
RS-1000	1	73
RS-1500	1½	94

RS-2000	2	112
RS-2500	2½	127
RS-3000	3	137

Paco Pumps /Sulzer Pumps

*Type L Series Closed Coupled Horizontally Mounted Pumps
 *Type L Series Closed Coupled Vertically Mounted Pumps
 *Type L Series Frame Mounted Pumps
 *Type VL Series In-Line Pumps
 *Type KP or KPV Series Split case Horizontal or Vertical Mounted Pumps

*Impellers are specifically machined for each application therefore flowrates cannot be determined for each pump.
 *Pool plans should specify the pump model and the flowrate at 60 feet of head.

*All pumps require a hair/lint strainer.

*A list of approved model numbers can be found in NSF listings.

Pentair Pool Products Inc. (Pac Fab Inc.)

<u>[C Series]</u>		
CH-50	5	230
CM-50	5	250
CHK-50	5	250
CHK-75, CHKL-75	7½	410
CHK-100	10	530
CHK-150	15	605
CHK-200, CHKL-200	20	705
CMK-50	5	238
CMK-75	7½	370
CMK-100	10	480
CMK-150	15	675

<u>[Challenger Series]</u>		
CHII-N1-½ F/FE	½	33
CHII-N1-¾ F/FE	¾	54
CHII-N1-1 F/FE	1	68
CHII-N1-1½ F/FE	1½	82
CHII-N1-2 F/FE	2	110
CHII-N1-3 FE	3	132

<u>[EQ Series]</u>		
EQ500 1PH	5	275
EQ500 3PH	5	275
EQ750 1PH	7.5	400
EQ750 3PH	7.5	400
EQ1000 3PH	10	480
EQ1500 3PH	15	710

<u>[IntelliFlo Series]</u>		
IntelliFlo i1	1	76
IntelliFlo i2 VS 011009	2	116
IntelliFlo i2 VS 011060	2	116
IntelliFlo VSF 011056	3	126
IntelliFlo VF	3	130
IntelliFlo VS	3	140
IntelliFlo VS 011028	3	140
IntelliFlo VST	3	140

IntelliFlo VS + SVRS	3	140
IntelliFlo XF VSF 022056	3	156
IntelliPro VSF 013004	3	122
IntelliPro VS + SVRS	3	143
IntelliPro XF Variable Speed	3	156
IntelliPro XF VSF 023056	3	156

[Restrictions apply contact our office and pump must not exceed plumbing velocity}

[Max-E-Pro XF Series]

XPXXX-8	2	117
XPXXX-30	2.5	117
XPXXX-12	3	155
XPXXX-20	5	220

XXX=motor types; full rate, up rate TEFC, EE, E+ and 3-Phase

[Max-E-Pro XF VS Series]

023035	5	200
--------	---	-----

[SuperFlo Series]

SuperFlo VS 342001	1.5	73
SuperFlo 348023	1	38
SuperFlo 340038	1	38
SuperFlo 340042	1	38
SuperFlo 348144	1	54
SuperFlo 348024	1.5	54
SuperFlo 340039	1.5	54
SuperFlo 348143	1.5	54
SuperFlo 348145	1.5	65
SuperFlo 348025	2	65
SuperFlo 340040	2	65
SuperFlo 340044	2	65
SuperFlo 348026	2.5	84
SuperFlo 340041	2.5	84
SuperFlo 348146	2.5	84

[SuperMax Series]

Supermax VS 343001	1.5	73
Supermax PHK2E6E-102L	1	38
Supermax PHK2RA6E-102L	1	38
Supermax PHK2RAY6E-102L	1	38
Supermax PHK2E6F-103L	1.5	54
Supermax PHK2RAE6F-103L	1.5	54
Supermax PHK2RAY6F-103L	1.5	54
Supermax 348147	1.5	54
Supermax 348148	1.5	65
Supermax PHK2E6G-104L	2	65
Supermax PHK2RA6G-104L	2	65
Supermax PHK2RAY6G-104L	2	65
Supermax 348149	2	84
Supermax PHK2EAA6G-105L	2.5	84
Supermax PHK2RAA6G-105L	2.5	84

[WhisperFlo Series]

(full rate / energy efficient)

WF-2 \underline{X} , WFE-2 \underline{X} , WFK-2 \underline{X}	1/2	38
WF-3 \underline{X} , WFE-3 \underline{X} , WFK-3 \underline{X}	3/4	58
WF-4 \underline{X} , WFE-4 \underline{X} , WFK-4 \underline{X}	1	74
WF-6 \underline{X} , WFE-6 \underline{X} , WFK-6 \underline{X}	1 1/2	95
WF-8 \underline{X} , WFE-8 \underline{X} , WFK-8 \underline{X}	2	106
WF-12 \underline{X} , WFE-12 \underline{X} or WFK-12 \underline{X}	3	138
WF-24 \underline{X} , WFE-24 \underline{X}	3/4	60
WF-26 \underline{X} , WFE-26 \underline{X}	1	76
WF-28 \underline{X} , WFE-28 \underline{X}	1 1/2	99
WF-30 \underline{X} , WFE-30 \underline{X}	2	113

[WhisperFlo XF Series]

XFXXX-8	2	117
XFXXX-30	2.5	117
XFXXX-12	3	155
XFXXX-20	5	220

XXX=motor types; full rate, up rate TEFC, EE, E+ and 3-Phase

[WhisperFlo XF VS Series]

022035	5	200
--------	---	-----

Pentair Pool Products

(Sta-Rite Industries Inc.)

CCH-137S	3	146
CCH3-137S	3	146
CCHH-137	3	146
CCHHS-137	3	146
CCHH3-137	3	146
CCHH3S-137	3	146
CCMH-136	3	148
CCMH-136S	3	140
CCMHS-136	3	148
CCMH3-136	3	148
CCMH3-136S	3	140
CCMH3S-136	3	148
CF6EF-81L	1 1/2	59
CF6EG-82-L	2	70
CF6H-123	3	82
CF6H3-123	3	82
CHH-137	3	146
CHH3-137	3	146
CHJ-136	5	214
CHJ-138	5	214
CHJ3-138	5	214
CMH-136	3	140
CMH3-136	3	140
DDH3-112	3	110
DDH3-169	3	110
DHH-112	3	110
DHH-169	3	110
DHJ-113	5	152
DHJ3-113	5	152
DMH-110	3	139
DMH-171	3	139
DMH3-110	3	139
DMH3-171	3	139
DMJ	5	190
DMJ3	5	190

[Dura-Glas Series]

P2R5C-120L or 180L	1/2	40
P2R5D-124L or 181L	3/4	52
P2R5E-125L or 182L	1	68
P2R5E3-182	1	68

[Dura-Glas II Series]

P4R6E-151L or 187L	1	70
P4R6E3-187	1	70
P4R6F-152-L or 188L	1 1/2	103
P4R6F3-188	1 1/2	103

[MaxE-Glass Series]

PE5C-120L or 180L	1/2	39
-------------------	-----	----

PE5D-124L or 181L	¾	56
PE5E-125L or 182L	1	73
P4E6D-150L or 186L	¾	55
P4E6E-151L or 187L	1	70
P4E6F-152-L or 188L	1½	103
P4E6G-153-L or 189L	2	118
P4E6H-154L or 190L	3	146

[Dyna-Glas Series (Standard)]

MPRA6E-147L	1	37
MPRA6F-148L	1½	74
MPRA6G-155L	2	88
MPRA6G3-155	2	88

[Dyna-Max Series (En. Eff.)]

MPEA6F-148L	1½	74
MPEA6G-155L	2	88
MPEAA6G-168L	2½	109

Max-E-Pro Series

P6E6D-205L	¾	54
P6E6E-206L	1	72
P6E6F-207L	1½	97
P6E6G-208L	2	113
P6E6H-209L	3	139
P6RA6E-205L	1	72
P6RA6F-206L	1½	97
P6RA6G-207L	2	113
P6RA6E-205L	1	54
P6EA6F-206L	1½	72
P6EA6G-207L	2	97
P6EAA6G-208L	2½	113

[CCSP Series]

CCSPHK-142	7½	330
CCSPHK3-142	7½	330
CCSPH2K3-142	7½	330
CCHPHL-143	10	330
CCSPHL3-143	10	440
CCSPH2L3-143	10	440
CCSPHM3-144	15	652
CCSPH2M3-144	15	652
CCSPHN3-145	20	757
CCSPHN3-145	20	757

[CSPH Series]

CSPHK-142	7½	330
CSPHK2K3-142	7½	330
CSPHK3-142	7½	330
CSPHL-143	10	440
CSPH2L3-143	10	440
CSPH3-143	10	440
CSPH2M3-144	15	625
CSPHM3-144	15	625
CSPH2N3-145	20	750
CSPHN3-145	20	750

IntelliFlo VF [restrictions apply contact our office]

IntelliFlo VS + SVRS [restrictions apply contact our office]

Raypak

VSP- Variable Speed

PS165VSP	1.65	54
PS270VSP	2.70	90

[Restrictions apply to VPS Variable speed pumps installations, please contact our office]Speck Pumps

72-IV	2	69
72-V	2.5	90
72-VI	3.5	115
95-IX	5	140
95-X (3-Phase pump)	7.5	315
S90-III	1.5	55
S90-IV	2	80
433-I	¾	20
433-II	1	37
433-III	1½	50
433-IV	2	73
433-V	2½	92
433-VI	3½	110
BADU Block 65/250 (225mm Impeller)	7.5	325
BADU Block 65/250 (240mm Impeller)	10	410
BADU Block 100/250(220mm Impeller)	15	560
BADU Block 100/250(240mm Impeller)	20	890
BADU Block 125/250(235mm Impeller)	20	950
BADU Block 125/250(245mm Impeller)	25	1230
BADU Block 125/250(255mm Impeller)	30	1520
Normblock 65/250 (225mm Impeller)	7.5	340
Normblock 65/250 (240mm Impeller)	10	420
Normblock 100/250(220mm Impeller)	15	620
Normblock 100/250(240mm Impeller)	20	940
Normblock 125/250(235mm Impeller)	20	1180
Normblock 125/250(245mm Impeller)	25	1480
Normblock 125/250(255mm Impeller)	30	1740

WatercoHydrostorm Plus

2405075A	¾	20
2405100A	1	50
2405150A	1½	85
2405200A	2	100
2405300A	3	150

HydroStar

2404075A	¾	57
2404100 ^a	1	75
2404150A	1½	94
2404200A	2	104
2404300A	3	151

Hydro 5000

19B05000	7½	310
19B05001	10	475
19B05002	15	675
19B05003	20	725
19B05004	7½	310

Waterway (B & S Plastics)

SVL56S-120	2	102
SVL56E-120	2	108
SVL56S-125	2½	97
SVL56E-130	3	139

Zodiac Pool Systems, LLC (Jandy Pool Products)

FHPM 1.0	1.0	20
FHPM 1.5	1.5	55
FHPM 2.0	2.0	78
FHPM 2.5	2.0	109

PHPF .50	0.5	10
PHPF .75	0.75	53
PHPF 1.0X	1.0	85
PHPF 1.5X	1.5	112
PHPF 2.0X	2.0	125
PHPM 0.75	0.75	10
PHPM 1.0	1.0	53
PHPM 1.5X	1.5	85
PHPM 2.0X	2.0	112
PHPM 2.5X	2.5	125
SHPF .75	0.75	47
SHPF 1.0	1.0	82
SHPF 1.0-3PH	1.0	82
SHPF 1.5	1½	108
SHPH 1.5-3PH	1.5	108
SHPF 2.0	2.0	125
SHPF 2.0-3PH	3.0	125
SHPF 3.0	3.0	176
SHPF 3.0-3PH	3.0	176
SHPF 5.0	5.0	226
SHPF 5.0	5.0	226
SHPH5.0-3PH	5.0	228
SHPM 1.0	1.0	47
SHPM 1.5	1.5	82
SHPM 2.0	2.0	108
SHPM 2.5	2.5	125

[Restrictions apply to variable speed pump installations. Please contact our office]

VSSHP220AUT (JEP 1.5)	2.2	105
VSSHP270AUT (JEP 2.0)	2.7	119
JEP 2.0 + SVRS	2.7	119
VSFHP085AUT	0.85	18
VSFHP085JEP	0.85	18
VSFHP165AUT	1.65	55
VSFHP165JEP	1.65	55
VSFHP185DV2A	1.85	75
VSSHP220DV2A	2.21	108
VSSHP270DV2A	2.27	116
VSFHP270AUT (VS-FHP 2.0)	2.7	100
VSFHP270JEP (VS-FHP 2.0)	2.7	100
VSFHP270DV2A	2.7	112
VSPHP270DV2A	2.7	115
VSPHP270AUT	2.7	115
VSPHP270JEP	2.7	115

RECESSED AUTOMATIC SKIMMERS

Maximum Flow GPM

AquaStar Pool Products

SKR101 2" - Gunite skimmer reinforced water stop	55
SKR201 2" - STD gunite skimmer	55
SKR301 2" - 9" Deep throat vinyl/fiberglass	55
SKR401 2" - 12" Deep Throat vinyl/fiberglass	55
SKR501 2" - Widemouth deep Throat vinyl/fiberglass	55

All with float assembly

Bradford Products LLC.
(Stainless Steel)

SKC08	60
SKF08	60
SKW08	60

Hayward Industries Inc.

SP1070-FVE	55
SP1071 FVE 1½"	55
SP1071S FVE 1½"	55
SP1071S FVE 2"	55
SP10712 SFVE 2"	55
SP1082-FVE	55
SP1084-FVE	55
SP1085-FVE	55
WG1082SFVE (1)	55
SP1071T2xx (1)	75
SP1072xx (1)	75
HCWG1072C (1)	75

(1) Cover WG1070C or WG1082E required to meet NSF-50 standards.

Note: Either a (FVE) (FVA) Low Water Float Valve or (SP1070FVEKIT) combination float valve/equalizer valve is required for all skimmers.

Note: Auto-fill lines require backflow protection. Overflow lines require a physical air gap.

Pentair Pool Products Inc. (Pac Fab Inc.)

Bermuda BKG	
506370	55
506371	55
506380	55
506381	55
[Series S-20]	
8442020x 1½"	60
8442050x 2"	60
8442060x 2"	60

Sta-Rite Industries
(Parent company Pentair)

[U3 Series]	
08650-1403	55
08650-2403	55
08650-1404	55
08650-2404	55

Waterway (B & S Plastics)

540-6200 1½"	75
540-6250 1½"	75
540-6300 2"	75
540-6350 2"	75

FLOWMETERS

Blue White Industries

D-300 Series
F-300 Series

Axiall Corporation (Also see PPG)Acid-Rite Feeders

Acid-Rite 450 Pool	12.0 (1)(2)
Acid-Rite 450 Spa	22.0 (1)(2)
Acid-Rite AR 2500 Pool	900.0 (1)(2)
Acid-Rite AR 2500 Spa	1200.0 (1)(2)

(1) lbs./ day available sulfate. Temperature dependent.
(2) Certified with Acid-Rite sodium bisulfate tablets only.

Bio-lab Inc.

MA-18-B-FM	8.4
MA-35-B-FM	12.5
MA-48-B	70.8

Blue White Ind.

A-114-4	9
A-114-4N	9
A-114-6	22
A-114-6N	22
A-114-7	37
A-114-7N	37
A-130-4	18
A-130-4N	18
A-130-6	48
A-130-6N	48
A-130-7	92
A-130-7N	92
A-145-6N	92
A-145-7N	92
A-214-6NT	29
A-230-6NT	64
A-245-6NT	101
A-260-6NT	127
A-1614T-4	9
A-1614T-4N	9
A-1614T-6	22
A-1614T-6N	22
A-1614T-7	37
A-1614T-7N	37
A-1630T-4	18
A-1630T-4N	18
A-1630T-6	48
A-1630T-6N	48
A-1630T-7	92
A-1630T-7N	92
A-1645T-6N	81
A-1645T-7N	112
A1N00X-4T	2.3
A1N10X-4T	4.9
A1N20X-4T	8.0
A1N30X-4T	11.4
A1N00X-6T	8.2
A1N10X-6T	16.0
A1N20X-6T	24.0
A1N30X-6T	30.1
A1N00X-7T	26.0
A1N10X-7T	52.5
A1N20X-7T	91.0
A1N30X-7T	95.1
C-614P	24
C-630P	69

C-645P	109
C-660P	132
C-6125P	285
C-6250P	527

Ecolab Inc.

[Cal-Hypo]	
N-290	11.28
N-290H	11.28
(H-hexagon shaped opening)	
All-in-one Cal Hypo 1030	26.64

EMEC S.r.l.

*A Series	
*K Series	
*T Series	
*V Series	
*W Series Except model WDPHRH	

*Does not include self venting models or models without US electrical plug. See output specifications for individual model numbers within each series. NSF 50 standard tested by WQA where models can be verified.

Hasa Inc.

Liquidator C-201	2.5
Liquidator R-101	2.5

Hayward

ACO35	6.3
CL-220X	1.6
C-250X	32.4
C-500X	37.8
C-1100X	81.0
C-1800X	86.4
C-2400X	102.6

King Technology Inc.

910	1.6
940	1.6
960	1.4
980	1.6

Leslie's Swimming Pool Supplies

Sani-Tower 275	139.2
Sani-Tower 90	10.6

Manufactured by PPG)
Chlorination Column #16-20020.6

(Manufactured by PPG)

Qwikload 32.0

(Manufactured by Arch)

Liquid Metronics Inc.

*A Series	
*B Series	
*C Series	
*G Series	
*M Series	
*P Series	
*U Series	

*See output specifications for individual model numbers within each series.

Milton Roy Co. (LMI, Inc.)

*G Series

*See output specifications for individual model numbers within each series.

Pentair (Rainbow)

300, 300C (needs flow indicator)	0.99
300-19 (needs flow indicator)	1.61
300-29 (needs flow indicator)	3.39
300-29X (needs flow indicator)	6.62
310 (needs flow indicator)	0.99
320, 320C (needs flow indicator)	1.92
HC-3315	26.4
HC-3330	43.2
HC-3340	89.6

(PPG Industries Inc.) Axiall Corp, a Westlake Co.

[Cal Hypo]

N200	6.0
------	-----

[Accu-Tab Chlorinators]

100 Pool	19.2 (1)
100 Spa	33.6 (1)
3008	18.0
3008C	24.28 (1)
3012	24.28 (1)
3075	244.8 (1)(2)
3150	528.0 (1)(2)
3500	873.6 (1)(2)

[Accu-Tab Powerbase System]

(Must be installed with a solution tank)

1030 Pool	67.2 (1)
1030 Spa	84.24 (1)
3070	64.8
3070AT	244.8 (1)(2)
3140	177.6
3140AT	528.0 (1)(2)

(1) Certified for use with Accu-Tab hypochlorite tablets only.

(2) Certified for swimming pool use only

ProMinent

Pump Version#

1000	0.18
1601	0.28
1002	0.55
0704	1.0
0308	2.11
0215	4.00

VersaChlor

[Cal Hypo]

System 1	35.2
----------	------

Rola-Chem

RC 25X, RCS 252X	0.9
------------------	-----

RC 301X	0.9
RC 25/50X	11.5
RC 25/52X, RCS 25/52X	11.5
RC 25/53X, RCS 25/53X	11.5
RC 303X	12.0
RC 100X	38.0
RC 102X, RCS 102X	38.0
RC 103X, RCS 103X	38.0
RC 305X	38.0
RC 500X	77.0
RC 502X, RCS 502X	77.0
RC 503X, RCS 503X	77.0
RC 307X	77.0

X =Suffix S or M and C or P

Stenner (ETL approved)

45M1	3.0
45MHP2	3.0
45M2	10.0
45MHP10	10.0
45MHP22	22.0
45M3	22.0
45M4	35.0
45M5	50.0
85M1	5.0
85MHP5	5.0
85M2	17.0
85M3	40.0
85MHP40	40.0
85M4	60.0
85M5	85.0
100DM1	6.0
100DMHP5	6.0
100DM2	20.0
100DMHP20	20.0
100DM3	44.0
100DM4	70.0
100DM5	100.0
170DM1	10.0
170DMHP9	10.0
170DM2	34.0
170DMHP34	34.0
170DM3	80.0
170DM4	120.0
170DM5	170.0

Pulsafeeder, Inc.

Mec-O-Matic

Dolphin Series

UD10	13.0
UD20	20.0
UD50	60.0
UD75	97.0

Stingray Series

SR 105/205	8.0
SR 110/210	12.0
SR 125/225	30.0
SR 150/250	60.0
SR175/275	90.0

VSP Series

VSP12	12.0
VSP20	20.0

SureWater Technologies

22152-01 (The Solution)	1728.0
22152-02 (X-2)	197.0

Waterway (B&S Plastics)

CCF012 (off line)	1.87
CCF012-W (off line)	1.87
CLC012 (in line)	1.27
CLC012-W (in line)	1.27

CHLORINE GENERATORS

Check local ordinances that may prohibit chlorine generators from being installed. There are known issues in the following areas: Santa Clarita, Saugus, Valencia, Newhall, Castaic, Malibu, West Lake Village, Calabasas, Agoura Hills, Hidden Hills, Canyon Country, Stevenson Ranch, Fair Oaks Ranch, Bouquet Canyon, Mint Canyon, Forrest Park, and unincorporated areas of the Antelope Valley. All generators to be sized at 3 lbs/day chlorine with side-stream installations only.

CHLORINE GENERATORS Output lbs./day as Cl₂
Side –stream installations only

Autopilot Systems Inc.

ST-220 with CC-15 Cell	2.50
DIG-220 with CC-15 Cell	2.50
PPP-2	5.0
PPP-3	7.5
PPP-4	10.0
PPP-5	12.5
PPP-6	15.0

Biolab

Mineral Springs MS-10	1.45
Mineral Springs MS-11	1.45

Approved units begin with serial no. 0102xxxx
Side stream installation only

Chlorine Genie

C-50DW	0.29
--------	------

ChlorKing

CHLOR-.75M	0.75
CHLOR-1.25M	1.25
CHLOR-1.5	1.50
CHOR-2.0M	2.0
CHLOR-2.0MSM	2.2
CHLOR-2.5M	2.5
CHLOR-3.0MSM	3.0
CHLOR-3.5	3.5
CHLOR-5.0	5.0
CHLOR-5.0MSM	6.0
CHLOR-7.5	7.5
CHLOR-7.5SM	7.5

CHLOR-10	10.0
CHLOR-10SM	10.0
CHLOR-12.5SM	14.0
CHLOR-15	15.0
CHLOR-15.0SM	17.0
CHLOR-20	20.0
CHLOR-20.0SM	22.0
CHLOR-25	25.0
CHLOR-25SM	28.0
CHLOR-40	40.0

NEXGEN-10	12.0
NEXGEN-10SM	12.0
NEXGEN-20	24.0
NEXGEN-20SM	24.0
NEXGEN-40	48.0
NEXGEN-40SM	48.0
NEXGEN-80	96.0
NEXGEN-80SM	96.0

XGEN5	4.75
XGEN7.5	7.12
XGEN10	9.5
XGEN20	20.0
XGEN40	40.0
XGEN80	80.0

Chlormatic

NSF listed units have a beginning serial number of 03072902

CM301	0.625
CM601	1.25
CM601C	1.25
COM25	5.0

Clortec Group

[Severn Trent Water Purification, Inc]

CT-75	75.0
CT-100	100.0
CT-150	150.0
CT-200	200.0
CT-225	225.0
CT-300	300.0
MCT-12	12.0
MCT-24	24.0
MCT-36	36.0

Compupool Products

ES150	8.0
ES200	10.0
ES300	15.0
ES400	20.0
C-CPP250	13.5
C-CPP400	21.0
C-CPP500	23.5
C-CPP600	32.5
C-CPP800	43.5
C-CPP1000	47.0
C-CPP1500	70.5
C-CPP2000	94.0
C-CPP2500	117.5
C-CPP3000	141.0

Custom Molded Products, Inc.

Powerclean Salt Ultra 320 1	0.78
Powerclean Salt Ultra 320 2	1.35
Powerclean Salt Ultra 540 1	1.35
Powerclean Salt Ultra 540 2	1.35
Powerclean Salt Ultra 760 1	1.88
Powerclean Salt Ultra 760 2	1.88

Ecolab Inc.

Pure Comfort

Pure 2.1	1.87
Pure 2.5	2.34
Pure 3.5	3.5
Pure 5.0	5.0
Pure 7.5	7.5
Pure 10	10.0
Pure 15	15.0
Pure 25	25.0
(Side stream installation only)	

Eco-Matic

ESC 16 (COMM160)	0.77
ESC 36 (COMM360)	1.72
ESC 48 (COMM480)	2.12
COMM1200	6.3
COMM2400	12.7
COMM4000	21.1

Side-stream installations onlyHayward - Goldline

Aqua Rite	1.45
Aqua Rite-X280	1.45
Aqua Rite-X281	1.45
Aqua Rite XL	1.45
Aqua Rite Logic	1.45
Naturesoft	1.45
SwimPure	1.45

Approved units begin with serial no. 0102xxxx

Side stream installation onlyPebble Technology

Naturesoft1.45

Approved units begin with serial no. 0102xxxx

Side-stream installation onlyPentair

[IntelliChlor]

CIC60	1.97
CIC60P (PN521151)	2.00
CIC60S (PN521005)	2.00

Side-stream installation onlyPool Thing

C260C1.06
C390C1.58
C520C2.11
Side-stream installations only

TMI Salt Pure Corporation

MXSCG	0.74
M2XSCG	1.27
XSCG	1.69
XMCG	2.83
2XSCG	2.12
ZX-5	5.00
2XMCG	5.65
XLCG	6.30
2XLCG	12.70
3XLCG	21.10

[LV Series]

LV9	22
LV10	23.5
LV11	33
LV15	47
LV17.5	66
LV20	70.5
LV25	94
LV30	117.5
LV35	141

[NV Series]

NV6.5	8.5
NV7	11
NV8	16.2
NV9	22
NV10	23.5

Side-stream installations onlySaline Generating Systems (SGS)

SGS5000SGS1/SGS2	1.88
------------------	------

Side-stream installations onlyPool Systems, Inc. (Jandy Pool Products)

AquaPure700	0.625
AquaPure 1400	1.25

Hayward – Saline C 6.0 & Saline C11.0

HCSC60	5.0
HCSC110	10.0

Side-stream installations onlyZodiac Pool Systems LLC

TruClear	0.97
----------	------

GAS CHLORINATORSCapital ControlsAdvance 200 series
(Must have anti-siphon type injector)Wallace & Tiernan(Must have anti-siphon type injector)
(No longer available for new installations)

V-75VSP
V-100ASP

BROMINATORS

**Output
Lbs/day as Br₂**

All bromine feeders must have a flow indicator device

Biolab Inc.

25163	3.98
25165	9.27
25167	24.8
25168	49.1
25169	90.4

[Vantage (Aquabrome)]

CR8.14	1.94
CR8.19	3.98
CR8.28	6.54
CR8.35	9.27
CR8.45	13.0
CR10.47	24.8
CR13.54	49.1
CR16.65	90.4
CR21.62	147

[Guardex]

6 X 420	3.98
6 X 425	9.27
6 X 430	24.8
6 X 435	49.1
6 X 445	90.4

Pentair (Rainbow)

300	0.95
300-29X	1.25
302	0.26
320	1.39

DRAIN COVERS

5/31/2011 - Some drain covers have been recalled by the Consumer Product Safety Commission and they have been removed from our list. The recall is voluntary. If you decide you want to change one of the recalled drain covers to an approved one, you must submit new plans to this Department.

**Max.
gpm
Floor Max.
gpm
Wall**

Afras

ABF-64 (7 3/8" round)	104	64
ABF-64A (11 1/8" round)	188	160

AquaStar Pool Products Inc.

4HP101	56	56 (3)(4)(5)
501003	157	N/A (3)
FC101 (20" round)	158	N/A (3)
6HP101	177	122 (3)(4)(5)
8AV101 (8" round)	88	70
(With vented riser ring)		
8HP101 (8" round)	177	122 (3)(4)(5)
8FUW101 (8" round)	110	106 (6)

914101 (14" x 14")	560	300
10AV101 (10" round)	206	96
(with vented riser ring)		
10AVR101 (10" round)	166	96
(with solid riser ring)		
10LT101 (10" round)	60	N/A (4)(6)
10LTD101 (10" round)	125	N/A(4)(6)
1216101 (12" x 12")	460	460
24101 (24" x 24")	1531	1531
(32" channel drains)		
32CDAVFR101 (2)	236	136
32CDAVV101 (2)	236	136
32CDAV101 (2)	236	136
32CDFLFR101 (2)	316	208
32CDFLV101 (2)	316	208
32CDFL101 (2)	316	208
32CDLTFR101 (2)	316	208
32CDLT101 (2)	316	208
A8R101 (8" round)	145	84
(with solid riser ring)		
A8R101(8" Round)	140	84 (3)
A10RCFR(X)101(10" Round)	172	164(3)
LP8AV101 (8" Round)	100	70
(with vented riser ring)		
MoFlow 8MFXXX	166	113
MoFlow R8MFXXX	146	130
MoFlow 9MFXXX	258	274
MoFlow R9MFXXX	258	274
MoFlow 10MFXXX	158	162
MoFlow 12MFXXX	274	278
MoFlow R12MFXXX	274	278
MoFlow 18MFXXX	293	NA (7)
P9101 (9"X9")	270	270 (6)
P12101 (12"X12")	360	360 (6)
P18101 (18"X18")	740	740 (6)
P24101 (24"X24")	1428	1428 (6)
R8HP101 (8" round)	177	122 (3)(4)(5)
R1216101 (12" x 12")	460	460
R914101 (14" x 14")	560	300
Sun 9101 (9" x 9")	224	224
(with vented riser ring)		
Sun 12101 (12" x 12")	232	232
(with vented riser ring)		
Sun 18101 (18" x 18")	628	628
(with vented riser ring)		
Sun18HPH101 (18"X18")	1000	644 (6)
WAV9101 (9" X 9" square)	224	224
(with vented riser ring)		
WAV12101 (12" X 12" square)	361	361
(with vented riser ring)		
WAV18101 (18" X 18" square)	628	628
(with vented riser ring)		
WAV24101 (24" X 24" square)	1444	1444 (1)
(with vented riser ring)		

BeeSafe Systems

Model 1 (46" diameter)	792	N/A
------------------------	-----	-----

Color Match Pool Fittings Inc.

8-AV101A (8" round)	148	100
10-AV101A (10" round)	184	144
8-PTD-101A (8" round)	144	100
10-PTD-101A (10" round)	180	144
RETRO8-01 (8" round)	156	88
RETRO10-01 (10" round)	228	200
AAM-PTD-11 (Channel) (2)	200	

AAM-PTD-11 (Channel) (2) Dual	208		WG1032BHF (12" Square)	515	308
OpenFlow-360-01 (20" round) (1)	240		WG1033BHF (18" Square)	812	732
SuperFlow-360-01 (20" round) (1)	360				
<u>Current Systems Inc.</u>			<u>Hydrokleen Systems</u>		
CSI 1823	175	NA (1)	HKMC 3030-8 without shroud	1608	1940
CSI 2044	2032	2032 (1)	HKMC 3030-8 with shroud	1600	1996
<u>Custom Molded Products</u>			<u>Lawson Aquatics</u>		
25508-090L (9"x 9")	120	120	FI- SG-1836	2080	1496
25508-120L (12' x 12")	232	232	MLD-FG-1836	2080	1496
25508-180L (18" x 18")	424	424	MLD-FG-1854	4269	N/A
25201-000 (5" round)	170	170	MLD-FG-1872	4518	N/A
25200-202 (5" round)	N/A	172 (4)	MLD-FG-2424	630	N/A
25207-700 (4" round)	N/A	50 (4)	MLD-FGD-0909 (9" square)	261	248
25207-800 (4" round)	N/A	50 (4)	MLD-FGD-1212 (12" square)	400	340
25513-000 (7.75" round)	95	84	MLD-FGD-1818 (18" x 18")	816	712
25513-100 (7.75" round)	95	84	MLD-SG-06	44	49
25513-250 (7.75" round)	60	60	MLD-SG-0909 (9" square)	261	248
25513-260 (7.75" round) Nova	140	118	MLD-SG-1212 (12" square)	365	340
25513-300 (7.75" round)	60	60	MLD-SG-1818 (18" x 18")	816	712
25513-400 (7.75" round) Nova	140	118			
25513-500 (7.75" round) Nova	140	118	<u>Neptune Benson, Inc.</u>		
25513-600 (7.75" round) Nova	140	118	AEGIS	1432	1120
25513-700 (7.75" round)	60	60	<u>New Water Solutions Inc.</u>		
25513-800 (7.75" round)	60	60	DS 360 (11" round)	123	123
25514-000 (8" round)	95	84	DS 360M (11" round)	123	123
25515-000 (7.75" round)	95	84	DS 360X (9" square)	160	N/A
25515-700 (7.75" round)	60	60			
25516-000 (7.75" round)	95	84	<u>Paddock Pool Equipment Co.</u>		
25516-250 (7.75" round)	60	60	2020PCDC (20"x 20")	1200	N/A
25516-260 (7.75 round) Nova	140	118	2020PCGO (20"x 20")	1960	1960
25516-300 (7.75" round)	60	60	2040PCGO (20"x 40")	1960	1960
25516-400 (7.75" round) Nova	140	118	2424PCDC (24"x 24")	1420	1420
25516-500 (7.75" round) Nova	140	118	2424PCFC (24"x 24")	915	915
25516-700 (7.75" round)	60	60	2448PCFC (24"x 48")	3500	3000
25517-500 (7.75" round) Nova	140	118	1414ESMD (14"x14")	1200	N/A
25517-700 (7.75" round)	60	60	1818ESMD (18"x 18")	1420	1420
25519-000 (8" round)	95	84	2040ESMD (20"x 40")	1960	1960
25531-000 (8" round)	95	84	2448ESMD (24" x 48")	3500	3000
25537-000 (8" round)	95	84			
25539-000 (7.75" round)	95	84	<u>Paramount Pool and Spa Systems</u>		
25539-500 (7.75" round) Nova	140	118	SDX series		
25539-600 (7.75" round) Nova	140	118	XXX-162-2212-XX concrete	200	192 (3)
25539-700 (7.75" round)	60	60	XXX-172-2212-XX vinyl	200	192 (3)
25539-800 (7.75" round)	60	60	XXX-182-2212-XX fiberglass	200	192 (3)
25548-000 (8" round)	95	84	XXX-192-2212-XX retro	200	192 (3)
25548-700 (7.75 round)	60	60	XXX-159-2212-XX retro vinyl	200	192 (3)
25506-320 (32" Channel Drain)	308	N/A (2)	XXX-157-2212-XX retro equalizers	200	192 (3)
<u>Daldorado, LLC</u>			(All 10" round)		
DalMax-FG-1836	2869	2080	SDX2 series		
DalMax-FG-1854	4412	N/A (7)	XXX-162-2231-XX concrete	188	154 (3)
DalMax-SG-1836 (w/sump)	2869	2080	XXX-172-2231-XX vinyl	188	154 (3)
DalMax-SG-1854 (w/sump)	4412	N/A (7)	XXX-182-2231-XX fiberglass	188	154 (3)
<u>Eureka Manufacturing Co.</u>			XXX-192-2231-XX retro		
AV20x20	223	N/A	XXX-159-2231-XX retro vinyl	188	154 (3)
AV26x26	495	N/A (1)	XXX-157-2231-XX retro equalizers	188	154 (3)
AV32x32	675	N/A (1)	(All 10" round)		
AV44x44	975	N/A(1)	MDX-R3 US		
<u>Hayward Pool Products Inc.</u>			XXX-162-2240-XX concrete adj		
WG1048E (7 7/8" round)	125	72	XXX-162-2243-XX concrete non-adj	132	(7)
WG1048EW (7 7/8" round)	72	72	XXX-182-2240-XX vinyl	132	(7)
WG1031BHF (9" Square)	264	224	XXX-192-2240-XX fiberglass	132	(7)
			(All 10" round)		
			<u>Waterway Plastics</u>		

640-349X V	N/A	120 (4)
640-311X V (retrofit)	180	100
640-470X V (retrofit)	289	198
640-475X V (retrofit)	540	N/A
640-477X V (18" x18")	788	517
640-479X V (9" X9")	289	208
640-800X V	N/A	192 (4)
640-803X V	N/A	106 (4)
640-882XX	N/A	77 (5)
640-1320 (channel)	288	232 (2)
640-18XX V (8" round)	153	96
640-19XX V (10" round)	200	136
640-2120 V (10" round)	224	192
640-2130 V (10" round)	224	192 (3)*
*Must be installed with 642-3180 support plate		
640-2310 (8" round)	100	64
640-2320 (8" w/sump)	100	64
640-2420 (8" w/sump)	100	64
640-2520 (8" w/sump)	100	64
640-2550 (8" w/sump)	100	64
640-4720 V (12" x 12")	356	N/A
640-4760 V (24" x 24")	2035	N/A (1)
SPC-3 V	N/A	180

- (1) Unblockable drain
- (2) Channel drains must be installed with pre-manufactured sumps, no "field-built" sumps.
- (3) Approved for installation without a sump
- (4) Approved for plaster pools, wall mount only
- (5) Approved for acrylic/fiberglass shells, floor or wall mount
- (6) Tested at successor standard ASPS 16-2011
- (7) Approved for floor installation only

FLOOR INLET FITTINGS

Sta-Rite/Swimquip

(Parent company Pentair)

8417-0000 white 1½" or 2"

8417-0100 black 1½" (Restricted use; Black Race Lanes only)

POOL SHELLS

Nespa

(Any customization will require IAPMO approval.)

Legacy CS (12'x18')

Legacy (12'x22')

SPA SHELLS

(Submit sample of tile. American Olean Swimming Pool Nosing C-701 or equivalent is approved for spa handholds)

Must be plumbed with two suction outlets per pump that are hydraulically balanced and symmetrically plumbed through one or more "T" fittings, and that are separated by a distance of at least three feet in any dimension between the suction outlets.

Nespa

(Standard commercial models only. All commercial spas must be outfitted with at least one recirculation drain on the floor to be approved for use in Los Angeles County. Any customization will require IAPMO approval.)

7.5' Acapulco (7'6"x7'6")
 Acapulco (7'x7')
 Acapulco II (7'x7')
 Acapulco III (7'6"x7'6")
 Acapulco IV (7'x7'1")
 Blackthorne (7'7"x8'9")
 Caribbean (8'x8')
 Corsica (6'x7'6")
 Corsica Modified (6'x9'6")
 Eight Ft. Round
 Imperia (6'6"x7'10")
 Imperia II (7'6"x9'6")
 Jensen Deluxe (8'x8')
 Kidney (7'6"x11'2")
 Legacy 10 (7'6"x10')
 Legacy 12 (7'6"x12')
 Legacy 14 (7'6"x14')
 Legacy 16 (7'6"x16')
 Legacy 18 (7'6"x18')
 Legacy 20 (7'6"x20')
 Legacy 45 (10'3"x16' 7 1/2")
 Legacy CS (6'4"x10'4")
 Legacy CS (7'6"x16')
 Legacy CS (7'4"x18')
 Legacy CS (8'x12')
 Legacy CS (8'x15')
 Legacy CS 46 (8'x10')
 Legacy DS (8'x20')
 Legacy DS (10'x20')
 Legacy DSA (8'x12')
 Legacy DSA (8'x14')
 Legacy DSA (8'x16')
 Legacy DSA (8'x18')
 Legacy DSA (8'x20')
 Legacy M (8'x20')
 Legacy Para (13'x15'6")
 Mirage 9 (7'6"x9')
 Mirage 11 (7'6"x11')
 Mirage 13 (7'6"x13')
 Mirage 15 (7'6"x15')
 Mirage 17 (7'6"x17')
 Maxima (6'7 5/8"x6' 7 5/8")
 Redwood (6'8"x20')
 Rimini (6'9"x7'6")
 Rimini Commercial (8'6"x8'6")
 Round 7
 Round 9
 Round 11
 Serenity (7'x12')
 Six Ft. Round
 Swim Spa 12 (7'6"x12')
 Swim Spa 16 (7'6"x16')
 Swim Spa 18 (7'6"x18')
 Swim Spa 20 (7'6"x20')
 Tahoe (7'6"x9'2")
 Ten Ft. Round

SUPPLEMENTAL EQUIPMENT / MATERIALS

POOL SHELL FINISHES – APPROVED APPLICATORS

White Zanzibar Mini Pebble

Brian's Pool Plastering

Gardner Pool Plastering Inc.

M. Preciado Pool Plastering Inc.

San Rock Pool Plastering
 Service 1st Commercial Pools
 Tony Marquez Pool Plastering
 Ventura Pool Care Plus
 Yessman Pool & Spa

Pebble Technology PebbleSheen Artic White

Certified by PebbleTec
 Gardner Pool Plastering Inc.
 Inspiration Pool Plastering, Inc.
 San Rock Pool Plastering
 Service 1st Commercial Pools

C.L. Industries, (Aquavations) Hydrazzo Artic White
C.L. Industries, (Aquavations) Hydrazzo Grecian White

Certified by Aquavations
 Condor, Inc.
 Design Plastering
 M. Preciado Pool Plastering, Inc.

WetEdge Technologies Altima White
WetEdge Technologies Luna Quartz Polar White
WetEdge Technologies Primera Stone Polar White
WetEdge Technologies Satin Matrix Polar White
 All Applicators Certified by WetEdge Technologies

APPLIED DECK MATERIAL

All Deck, Environmental Coating Systems
 Brickform, Pacific Western Coating formulation
 Certi-coat Certified Systems
 Deco Crete
 Dekra-Kote - Industrial, Mer-Kote Products Inc.
 (top coat at least 3/16" thick)
 Desert Crete Texture
 Design Flo-Crete
 Dex-o-tex, Weatherware S/S, Crossfield Products Inc.
 Dex-o-tex, Crossguard Resistite S/S, Crossfield Products Inc.
 Dur-A-Flex Hybri-Flex MQ
 Elasto-deck 1000, Pacific Polymers
 Elasto Fiberdeck, AVM System 100 (over concrete or
 AVM Crete 6400)
 Elasto-seal deck, Art Deck
 Enduro-Kote, Enduro-Kote Products Inc.
 Kool Deck-Mortex Manufacturing Co. Inc.
 Kool Krete, Multicoat Products
 Krete Kote System, Multicoat Products
 Life Deck TC Knockdown - Americrete Systems
 Multi-i-thane system 451-85 mil, Multi Chemical Products
 Mult-i-thane System 456-200 mil, Multi Chemical Products
 Pli Dek Systems, Inc
 Polydeck 2000, Polycoat
 Semco, X-Bond Seamless Stone System
 Stonhard, Stonshield SLT, HRI, Med & Standard Texture
 Sundek, Surface Decking Co.
 Texcrete
 Westcoat Specialty Coating Systems – Texture Crete
 System (Formally Texture Crete Life Deck Specialty
 Coatings)
 Versa-deck - Versatile deck coatings (formerly Dec King-
 Advance Waterproof Coatings)

FIBERGLASS SYSTEMS (plan approval required)

Advanced Pool Coatings

AmericanChem Tech/Inter- Glass
 Aqua-Glass
 Complete Pool and Spa Restoration
 Cross Pool Restorations (CPR)
 Fiberflex
 Fiberglass
 Fibre Tech
 Giles Pool & Spa
 Lami-Glass of America
 Reichhold
 Rhin-O-Coat
 Sunbrite Pools

PRE-FILTERS

Model **Max Flow Rate gpm**

WATERCO

Multichamber Centrifugal Filtration Unit
 Multicyclone 200370 130
 Multicyclone 70XL 423

ION GENERATORS (plan approval required)

Epic Services - Challenger (ETL approved)
 Caribbean Clear - all NSF listed models
 Superior Aqua Enterprises - all NSF listed models

OZONE GENERATORS (plan approval required)

Model **Max Rate Generator** **Oxygen**

Del Industries

(CD)
 CD-2 2.0 g/hr Built-in
 CD-5 5.0 g/hr Built-in
 CD-7 7.0 g/hr Built-in
 CD-10 10.0 g/hr Built-in
 CD-15 15.0 g/hr Built-in
 CD-25 25.0 g/hr Built-in
 CD-50 50.0 g/hr Built-in
 CD-75 75.0 g/hr Built-in
 CD-100 100.0 g/hr Built-in
 CD-150 150.0 g/hr Built-in
 CD-200 200.0 g/hr Built-in
 CD-300 300.0 g/hr Built-in
 CD-500 500.0 g/hr Built-in
 CD-1000 1000.0 g/hr Built-in
 MX-600 Mixing Tower
 MX-600-CD Mixing Tower
 IU-206 Injector
 IU-216 Injector
 CT-0130 Contact Tank
 CT-0200 Contact Tank
 CT-0400 Contact Tank
 CT-0600 Contact Tank
 CT-0800 Contact Tank
 CT-2000 Contact Tank
 CT-2200 Contact Tank
 CT-2400 Contact Tank

(UV)

|

LK-2000

1.5 g/hr

None

X Indicates any combination of letters or numbers before or after the model number.