| Early Child Development by Supervisorial District | ® Los Angeles County | ® First District | ® Second District | ® Third District | % Fourth District | ® Fifth District |
|--|----------------------|------------------|-------------------|---|-------------------|------------------|
| Stressful Life Events Experienced by Toddlers | | | | | | |
| Death of a close family member | 10.0 | 9.9* | 10.1 | 11.2 | 8.9 | 9.9 |
| Being away from parents | 9.5 | 10.2 | 11.1 | 9.7 | 8.3 | 7.4 |
| Change in household members | 19.2 | 18.6 | 19.5 | 21.1 | 16.4 | 20.6 |
| Overnight stay in hospital** | 9.4 | 8.6 | 13.2 | 7.1 | 9.1 | 7.6 |
| Witnessing violence or physical abuse | 2.8 | 4.3* | 2.3* | 3.1* | 1.8* | 2.8* |
| Witnessing alcoholism, drug or mental health disorder** | 2.0 | 0 | 2.0 | • | | 2.0 |
| | 1.5 | 2.1* | 0.6* | 0.6* | 2.9* | 1.5* |
| Witnessing conflict between parents** | 15.3 | 13.9 | 12.4 | 14.6 | 16.8 | 19.6 |
| Parents Concerned About Early Children's Early | | | | | | |
| About the child's learning, development | 18.1 | 16.7 | 19.7 | 18.4 | 19.8 | 15.8 |
| About how the child behaves | 15.8 | 18.8 | 15.2 | 12.9 | 14.2 | 17.7 |
| Providers Screened For Early Child Development | | | | | | |
| Completed three recommended screening tests ¹ | 21.0 | 17.4 | 24.6 | 22.4 | 19.8 | 20.1 |
| Did not perform any recommended screening tests ^{2**} | 35.2 | 43.6 | 37.7 | 30.4 | 29.9 | 32.6 |
| School Readiness | | | | | | |
| Mother had less than high school education | 22.9 | 28.6 | 37.3 | 16.6 | 16.7 | 9.8 |
| Family read together** | 49.3 | 38.9 | 39.8 | 54.6 | 59.1 | 58.8 |
| Family regularly attended outings or children's | | | | | | |
| programs ³ ** | 38.4 | 32.5 | 34.9 | 42.4 | 44.5 | 39.6 |
| Child Care | | | | | | |
| Had regular child care** | 50.2 | 44.1 | 44.2 | 53.7 | 52.5 | 59.4 |
| Over 40 hours of Child care per week | 29.5 | 27.0 | 28.6 | 26.0 | 34.6 | 31.2 |
| Satisfied with child care | | | | | | |
| Cost of the care | 60.0 | 59.5 | 59.6 | 61.6 | 60.8 | 58.7 |
| Care and attention child received | 87.0 | 81.5 | 89.0 | 91.6 | 85.9 | 86.5 |
| Location of the child care place | 82.8 | 82.3 | 83.7 | 86.0 | 79.4 | 82.4 |
| Time the provider spends with the parents ** | 75.4 | 66.9 | 77.0 | 79.7 | 73.1 | 79.2 |
| Healthy meals and snacks provided | 81.0 | 79.5 | 81.1 | 84.5 | 77.9 | 81.8 |
| | | | | | | - |

¹If the doctor or health care provider had done all three of the following (1) had the child rollover, pick up small objects, stack blocks, throw a ball or recognize different colors; (2) had mother fill out a check list of mom's concerns about child's learning, development or behavior; and (3) had mom fill out a survey or checklist about activities that the child may be able to do, for example, use 2-word phrases, walk steadiy and etc.)

²If the doctor or health care provider did not do any of the tests listed above.

³For four times or more per week

^{*}Estimate is statistically unstable (relative standard error > 25%).

^{**}Estimates are statistically different among supervsiorial district