


Special Reports

County of Los Angeles - Department of Public Health
 Maternal, Child & Adolescent Health Programs
Selected Perinatal Health Indicators
Los Angeles County, 2014



**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|---------|------------|-------------------|
| Total | 130,150 | 10,069,036 | 12.9 |
| African American | 9,069 | 867,357 | 10.5 |
| Asian/PI ³ | 22,586 | 1,470,370 | 15.4 |
| Hispanic | 71,566 | 4,854,739 | 14.7 |
| Native American | 143 | 20,054 | 7.1 |
| White | 23,327 | 2,856,516 | 8.2 |
| Two or More Races | 2,020 | N/A | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 6,950 | 336,107 | 20.7 |
| African American | 625 | 17,552 | 35.6 |
| Asian/PI ³ | 79 | 41,623 | 1.9 |
| Hispanic | 5,893 | 206,706 | 28.5 |
| Native American | 6 | 613 | 9.8 |
| White | 214 | 69,613 | 3.1 |
| Two or More Races | 97 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 9,013 | 130,150 | 6.9 |
| African American | 1,118 | 9,069 | 12.3 |
| Asian/PI ³ | 1,410 | 22,586 | 6.2 |
| Hispanic | 4,694 | 71,566 | 6.6 |
| Native American | 16 | 143 | 11.2 |
| White | 1,460 | 23,327 | 6.3 |
| Two or More Races | 175 | 2,020 | 8.7 |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|---------|-------------|---------|
| Total | 129,604 | 129,604 | 100.0 |
| Medi-Cal | 60,087 | 129,604 | 46.4 |
| Other Govt Prog | 2,745 | 129,604 | 2.1 |
| Private Insurance | 54,512 | 129,604 | 42.1 |
| Self Pay | 10,093 | 129,604 | 7.8 |
| Other/Unknown | 2,167 | 129,604 | 1.7 |

**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|---------|-------------|---------|
| First Trimester Care | 108,161 | 130,150 | 83.1 |
| African American | 6,835 | 9,069 | 75.4 |
| Asian/PI ³ | 18,670 | 22,586 | 82.7 |
| Hispanic | 59,549 | 71,566 | 83.2 |
| Native American | 108 | 143 | 75.5 |
| White | 20,210 | 23,327 | 86.6 |
| Two or More Races | 1,639 | 2,020 | 81.1 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 502 | 130,150 | 3.9 |
| Gender | | | |
| Male | 257 | 67,001 | 3.8 |
| Female | 245 | 63,149 | 3.9 |
| Race/Ethnicity | | | |
| African American | 75 | 9,069 | 8.3 |
| Asian/PI ³ | 40 | 22,586 | 1.8 |
| Hispanic | 291 | 71,566 | 4.1 |
| Native American | <5 | 143 | N/C |
| White | 68 | 23,327 | 2.9 |
| Two or More Races | 23 | 2,020 | 11.4 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

Sum of SPA totals may not add up to Countywide total due to records that can not be assigned to any SPA.
 Sum of race/ethnic totals may not add up to Countywide total due to records with unspecified race/ethnicity.
 Sum of gender totals may not add up to Countywide total due to records that do not specify gender.
 N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

- The number of live births per 1,000 total population
- The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19
- Asian/PI is Asian and Pacific Islander
- Live births weighing less than 2,500 grams
- This analysis excludes those with no prenatal care (n = 542) and live births missing source of payment (n = 0).
- The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy
- The number of infant deaths occurring at less than 365 days of age per 1,000 live births
- The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths
- Pending due to unavailability of fetal death data from California Department of Public Health.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014
 July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research,
 LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.
 The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA
 corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics
 based on other corresponding tables may vary when compared.

Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable.

Selected Perinatal Health Indicators

Antelope Valley Service Planning Area (SPA 1), Los Angeles County, 2014



**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 3,560 | 5,473 | 65.0 |
| African American | 577 | 989 | 58.3 |
| Asian/PI ³ | 115 | 159 | 72.3 |
| Hispanic | 1,857 | 2,916 | 63.7 |
| Native American | 7 | 14 | 50.0 |
| White | 877 | 1,209 | 72.5 |
| Two or More Races | 94 | 150 | 62.7 |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

Sum of gender totals may not add up to SPA total due to records that do not specify gender.

N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable.

Asian/PI is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This analysis excludes those with no prenatal care (n = 74) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 5,473 | 392,730 | 13.9 |
| African American | 989 | 63,624 | 15.5 |
| Asian/PI ³ | 159 | 15,619 | 10.2 |
| Hispanic | 2,916 | 175,206 | 16.6 |
| Native American | 14 | 1,639 | 8.5 |
| White | 1,209 | 136,642 | 8.8 |
| Two or More Races | 150 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 486 | 5,473 | 8.9 |
| African American | 152 | 989 | 15.4 |
| Asian/PI ³ | 9 | 159 | 5.7 |
| Hispanic | 212 | 2,916 | 7.3 |
| Native American | <5 | 14 | N/C |
| White | 88 | 1,209 | 7.3 |
| Two or More Races | 16 | 150 | 10.7 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 33 | 5,473 | 6.0 |
| Gender | | | |
| Male | 16 | 2,854 | 5.6 |
| Female | 17 | 2,619 | 6.5 |
| Race/Ethnicity | | | |
| African American | 12 | 989 | 12.1 |
| Asian/PI ³ | <5 | 159 | N/C |
| Hispanic | 16 | 2,916 | 5.5 |
| Native American | <5 | 14 | N/C |
| White | <5 | 1,209 | N/C |
| Two or More Races | <5 | 150 | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 473 | 15,549 | 30.4 |
| African American | 111 | 1,776 | 62.5 |
| Asian/PI ³ | <5 | 525 | N/C |
| Hispanic | 302 | 8,916 | 33.9 |
| Native American | <5 | 60 | N/C |
| White | 41 | 4,272 | 9.6 |
| Two or More Races | 17 | N/A | N/C |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 5,399 | 5,399 | 100.0 |
| Medi-Cal | 3,129 | 5,399 | 58.0 |
| Other Govt Prog | 99 | 5,399 | 1.8 |
| Private Insurance | 1,960 | 5,399 | 36.3 |
| Self Pay | 191 | 5,399 | 3.5 |
| Other/Unknown | 20 | 5,399 | 0.4 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014

July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators
San Fernando Service Planning Area (SPA 2), Los Angeles County, 2014



**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 24,923 | 2,190,397 | 11.4 |
| African American | 742 | 78,517 | 9.5 |
| Asian/Pi ³ | 2,684 | 253,666 | 10.6 |
| Hispanic | 12,461 | 872,920 | 14.3 |
| Native American | 28 | 4,062 | 6.9 |
| White | 8,331 | 981,232 | 8.5 |
| Two or More Races | 402 | N/A | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 990 | 70,277 | 14.1 |
| African American | 22 | 1,516 | 14.5 |
| Asian/Pi ³ | 11 | 7,469 | 1.5 |
| Hispanic | 890 | 35,929 | 24.8 |
| Native American | <5 | 123 | N/C |
| White | 53 | 25,240 | 2.1 |
| Two or More Races | 10 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 1,757 | 24,923 | 7.0 |
| African American | 78 | 742 | 10.5 |
| Asian/Pi ³ | 214 | 2,684 | 8.0 |
| Hispanic | 852 | 12,461 | 6.8 |
| Native American | 5 | 28 | 17.9 |
| White | 540 | 8,331 | 6.5 |
| Two or More Races | 32 | 402 | 8.0 |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 24,865 | 24,865 | 100.0 |
| Medi-Cal | 10,676 | 24,865 | 42.9 |
| Other Govt Prog | 233 | 24,865 | 0.9 |
| Private Insurance | 13,163 | 24,865 | 52.9 |
| Self Pay | 462 | 24,865 | 1.9 |
| Other/Unknown | 331 | 24,865 | 1.3 |

**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 21,796 | 24,923 | 87.5 |
| African American | 616 | 742 | 83.0 |
| Asian/Pi ³ | 2,330 | 2,684 | 86.8 |
| Hispanic | 10,892 | 12,461 | 87.4 |
| Native American | 26 | 28 | 92.9 |
| White | 7,365 | 8,331 | 88.4 |
| Two or More Races | 331 | 402 | 82.3 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 86 | 24,923 | 3.5 |
| Gender | | | |
| Male | 49 | 12,721 | 3.9 |
| Female | 37 | 12,202 | 3.0 |
| Race/Ethnicity | | | |
| African American | <5 | 742 | N/C |
| Asian/Pi ³ | 6 | 2,684 | 2.2 |
| Hispanic | 49 | 12,461 | 3.9 |
| Native American | <5 | 28 | N/C |
| White | 22 | 8,331 | 2.6 |
| Two or More Races | 6 | 402 | 14.9 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|----------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/Pi ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

Sum of gender totals may not add up to SPA total due to records that do not specify gender.

N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/Pi is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This Analysis excludes those with no prenatal care (n = 56) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014


July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators

San Gabriel Service Planning Area (SPA 3), Los Angeles County, 2014



**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 27,203 | 1,783,038 | 15.3 |
| African American | 478 | 66,601 | 7.2 |
| Asian/Pi ³ | 12,607 | 511,030 | 24.7 |
| Hispanic | 11,198 | 822,220 | 13.6 |
| Native American | 14 | 3,121 | 4.5 |
| White | 2,460 | 380,066 | 6.5 |
| Two or More Races | 252 | N/A | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 1,045 | 62,245 | 16.8 |
| African American | 25 | 1,261 | 19.8 |
| Asian/Pi ³ | 17 | 14,893 | 1.1 |
| Hispanic | 952 | 35,885 | 26.5 |
| Native American | <5 | 98 | N/C |
| White | 36 | 10,108 | 3.6 |
| Two or More Races | 12 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 1,601 | 27,203 | 5.9 |
| African American | 67 | 478 | 14.0 |
| Asian/Pi ³ | 632 | 12,607 | 5.0 |
| Hispanic | 701 | 11,198 | 6.3 |
| Native American | <5 | 14 | N/C |
| White | 155 | 2,460 | 6.3 |
| Two or More Races | 21 | 252 | 8.3 |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 27,123 | 27,123 | 100.0 |
| Medi-Cal | 8,485 | 27,123 | 31.3 |
| Other Govt Prog | 89 | 27,123 | 0.3 |
| Private Insurance | 10,637 | 27,123 | 39.2 |
| Self Pay | 7,840 | 27,123 | 28.9 |
| Other/Unknown | 72 | 27,123 | 0.3 |

**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 23,122 | 27,203 | 85.0 |
| African American | 393 | 478 | 82.2 |
| Asian/Pi ³ | 10,300 | 12,607 | 81.7 |
| Hispanic | 9,831 | 11,198 | 87.8 |
| Native American | 12 | 14 | 85.7 |
| White | 2,212 | 2,460 | 89.9 |
| Two or More Races | 218 | 252 | 86.5 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 69 | 27,203 | 2.5 |
| Gender | | | |
| Male | 27 | 14,187 | 1.9 |
| Female | 42 | 13,016 | 3.2 |
| Race/Ethnicity | | | |
| African American | 5 | 478 | 10.5 |
| Asian/Pi ³ | 16 | 12,607 | 1.3 |
| Hispanic | 39 | 11,198 | 3.5 |
| Native American | <5 | 14 | N/C |
| White | <5 | 2,460 | N/C |
| Two or More Races | 6 | 252 | 23.8 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/Pi ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

Sum of gender totals may not add up to SPA total due to records that do not specify gender.

N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/Pi is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This analysis excludes those with no prenatal care (n = 78) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014

July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators
Metro Service Planning Area (SPA 4), Los Angeles County, 2014



**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 10,259 | 12,732 | 80.6 |
| African American | 295 | 408 | 72.3 |
| Asian/Pi ³ | 1,460 | 1,849 | 79.0 |
| Hispanic | 6,215 | 7,674 | 81.0 |
| Native American | 11 | 14 | 78.6 |
| White | 1,979 | 2,427 | 81.5 |
| Two or More Races | 163 | 193 | 84.5 |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.
Sum of gender totals may not add up to SPA total due to records that do not specify gender.
N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

- ¹ The number of live births per 1,000 total population
- ² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19
- ³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/Pi is Asian and Pacific Islander
- ⁴ Live births weighing less than 2,500 grams
- ⁵ This analysis excludes those with no prenatal care (n = 52) and live births missing source of payment (n = 0).
- ⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy
- ⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births
- ⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths
- ⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 12,732 | 1,149,688 | 11.1 |
| African American | 408 | 61,667 | 6.6 |
| Asian/Pi ³ | 1,849 | 206,329 | 9.0 |
| Hispanic | 7,674 | 594,396 | 12.9 |
| Native American | 14 | 2,163 | 6.5 |
| White | 2,427 | 285,133 | 8.5 |
| Two or More Races | 193 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 842 | 12,732 | 6.6 |
| African American | 58 | 408 | 14.2 |
| Asian/Pi ³ | 116 | 1,849 | 6.3 |
| Hispanic | 489 | 7,674 | 6.4 |
| Native American | <5 | 14 | N/C |
| White | 151 | 2,427 | 6.2 |
| Two or More Races | 22 | 193 | 11.4 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 45 | 12,732 | 3.5 |
| Gender | | | |
| Male | 26 | 6,493 | 4.0 |
| Female | 19 | 6,239 | 3.0 |
| Race/Ethnicity | | | |
| African American | <5 | 408 | N/C |
| Asian/Pi ³ | 5 | 1,849 | 2.7 |
| Hispanic | 26 | 7,674 | 3.4 |
| Native American | <5 | 14 | N/C |
| White | 8 | 2,427 | 3.3 |
| Two or More Races | <5 | 193 | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 726 | 29,977 | 24.2 |
| African American | 39 | 689 | 56.6 |
| Asian/Pi ³ | 8 | 3,836 | 2.1 |
| Hispanic | 662 | 22,171 | 29.9 |
| Native American | <5 | 46 | N/C |
| White | 11 | 3,235 | 3.4 |
| Two or More Races | <5 | N/A | N/C |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 12,680 | 12,680 | 100.0 |
| Medi-Cal | 7,177 | 12,680 | 56.6 |
| Other Govt Prog | 33 | 12,680 | 0.3 |
| Private Insurance | 5,042 | 12,680 | 39.8 |
| Self Pay | 393 | 12,680 | 3.1 |
| Other/Unknown | 35 | 12,680 | 0.3 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**


| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/Pi ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014 July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five. The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators

West Service Planning Area (SPA 5), Los Angeles County, 2014



**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 6,898 | 652,160 | 10.6 |
| African American | 280 | 37,816 | 7.4 |
| Asian/PI ³ | 1,153 | 91,083 | 12.7 |
| Hispanic | 1,210 | 104,634 | 11.6 |
| Native American | <5 | 1,006 | N/C |
| White | 3,813 | 417,621 | 9.1 |
| Two or More Races | 208 | N/A | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 62 | 17,781 | 3.5 |
| African American | 6 | 570 | 10.5 |
| Asian/PI ³ | <5 | 3,064 | N/C |
| Hispanic | 43 | 4,286 | 10.0 |
| Native American | <5 | 25 | N/C |
| White | 6 | 9,836 | 0.6 |
| Two or More Races | <5 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 445 | 6,898 | 6.5 |
| African American | 33 | 280 | 11.8 |
| Asian/PI ³ | 96 | 1,153 | 8.3 |
| Hispanic | 68 | 1,210 | 5.6 |
| Native American | <5 | 3 | N/C |
| White | 220 | 3,813 | 5.8 |
| Two or More Races | 11 | 208 | 5.3 |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 6,892 | 6,892 | 100.0 |
| Medi-Cal | 871 | 6,892 | 12.6 |
| Other Govt Prog | 32 | 6,892 | 0.5 |
| Private Insurance | 5,701 | 6,892 | 82.7 |
| Self Pay | 230 | 6,892 | 3.3 |
| Other/Unknown | 58 | 6,892 | 0.8 |

**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 6,009 | 6,898 | 87.1 |
| African American | 224 | 280 | 80.0 |
| Asian/PI ³ | 1,023 | 1,153 | 88.7 |
| Hispanic | 1,023 | 1,210 | 84.5 |
| Native American | <5 | 3 | N/C |
| White | 3,358 | 3,813 | 88.1 |
| Two or More Races | 179 | 208 | 86.1 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 18 | 6,898 | 2.6 |
| Gender | | | |
| Male | 12 | 3,577 | 3.4 |
| Female | 6 | 3,321 | 1.8 |
| Race/Ethnicity | | | |
| African American | <5 | 280 | N/C |
| Asian/PI ³ | <5 | 1,153 | N/C |
| Hispanic | <5 | 1,210 | N/C |
| Native American | <5 | 3 | N/C |
| White | 11 | 3,813 | 2.9 |
| Two or More Races | <5 | 208 | N/C |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

¹ Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

² Sum of gender totals may not add up to SPA total due to records that do not specify gender.

³ N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

⁴ Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/PI is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This analysis excludes those with no prenatal care (n = 6) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014

July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators
South Service Planning Area (SPA 6), Los Angeles County, 2014



**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 13,951 | 17,504 | 79.7 |
| African American | 2,569 | 3,454 | 74.4 |
| Asian/PI ³ | 118 | 157 | 75.2 |
| Hispanic | 10,838 | 13,341 | 81.2 |
| Native American | 13 | 19 | 68.4 |
| White | 181 | 223 | 81.2 |
| Two or More Races | 135 | 173 | 78.0 |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

Sum of gender totals may not add up to SPA total due to records that do not specify gender.

N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/PI is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This analysis excludes those with no prenatal care (n = 98) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 17,504 | 1,033,672 | 16.9 |
| African American | 3,454 | 287,767 | 12.0 |
| Asian/PI ³ | 157 | 19,162 | 8.2 |
| Hispanic | 13,341 | 699,907 | 19.1 |
| Native American | 19 | 1,541 | 12.3 |
| White | 223 | 25,295 | 8.8 |
| Two or More Races | 173 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 1,405 | 17,504 | 8.0 |
| African American | 445 | 3,454 | 12.9 |
| Asian/PI ³ | 14 | 157 | 8.9 |
| Hispanic | 898 | 13,341 | 6.7 |
| Native American | <5 | 19 | N/C |
| White | 14 | 223 | 6.3 |
| Two or More Races | 22 | 173 | 12.7 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 91 | 17,504 | 5.2 |
| Gender | | | |
| Male | 43 | 8,962 | 4.8 |
| Female | 48 | 8,542 | 5.6 |
| Race/Ethnicity | | | |
| African American | 33 | 3,454 | 9.6 |
| Asian/PI ³ | <5 | 157 | N/C |
| Hispanic | 51 | 13,341 | 3.8 |
| Native American | <5 | 19 | N/C |
| White | 6 | 223 | 26.9 |
| Two or More Races | <5 | 173 | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 1,719 | 39,962 | 43.0 |
| African American | 295 | 5,943 | 49.6 |
| Asian/PI ³ | <5 | 1,074 | N/C |
| Hispanic | 1,386 | 31,289 | 44.3 |
| Native American | <5 | 63 | N/C |
| White | 7 | 1,593 | 4.4 |
| Two or More Races | 16 | N/A | N/C |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 17,406 | 17,406 | 100.0 |
| Medi-Cal | 12,486 | 17,406 | 71.7 |
| Other Govt Prog | 1,252 | 17,406 | 7.2 |
| Private Insurance | 3,295 | 17,406 | 18.9 |
| Self Pay | 235 | 17,406 | 1.4 |
| Other/Unknown | 138 | 17,406 | 0.8 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|----------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014

July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators
East Service Planning Area (SPA 7), Los Angeles County, 2014



Live Births
by Mother's Race/Ethnicity

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 16,410 | 1,312,015 | 12.5 |
| African American | 384 | 40,153 | 9.6 |
| Asian/PI ³ | 1,187 | 121,273 | 9.8 |
| Hispanic | 13,374 | 962,061 | 13.9 |
| Native American | 23 | 2,819 | 8.2 |
| White | 1,230 | 185,709 | 6.6 |
| Two or More Races | 125 | N/A | N/C |

Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 1,000 | 50,701 | 19.7 |
| African American | 16 | 940 | 17.0 |
| Asian/PI ³ | 7 | 3,416 | 2.0 |
| Hispanic | 942 | 41,484 | 22.7 |
| Native American | <5 | 74 | N/C |
| White | 24 | 4,787 | 5.0 |
| Two or More Races | 10 | N/A | N/C |

Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 1,124 | 16,410 | 6.8 |
| African American | 35 | 384 | 9.1 |
| Asian/PI ³ | 104 | 1,187 | 8.8 |
| Hispanic | 879 | 13,374 | 6.6 |
| Native American | <5 | 23 | N/C |
| White | 87 | 1,230 | 7.1 |
| Two or More Races | 10 | 125 | 8.0 |

Source of Payment
for Prenatal Care⁵

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 16,360 | 16,360 | 100.0 |
| Medi-Cal | 8,660 | 16,360 | 52.9 |
| Other Govt Prog | 661 | 16,360 | 4.0 |
| Private Insurance | 6,650 | 16,360 | 40.6 |
| Self Pay | 315 | 16,360 | 1.9 |
| Other/Unknown | 74 | 16,360 | 0.5 |

First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 13,960 | 16,410 | 85.1 |
| African American | 308 | 384 | 80.2 |
| Asian/PI ³ | 997 | 1,187 | 84.0 |
| Hispanic | 11,395 | 13,374 | 85.2 |
| Native American | 17 | 23 | 73.9 |
| White | 1,069 | 1,230 | 86.9 |
| Two or More Races | 110 | 125 | 88.0 |

Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 78 | 16,410 | 4.8 |
| Gender | | | |
| Male | 38 | 8,359 | 4.5 |
| Female | 40 | 8,051 | 5.0 |
| Race/Ethnicity | | | |
| African American | <5 | 384 | N/C |
| Asian/PI ³ | <5 | 1,187 | N/C |
| Hispanic | 66 | 13,374 | 4.9 |
| Native American | <5 | 23 | N/C |
| White | <5 | 1,230 | N/C |
| Two or More Races | <5 | 125 | N/C |

Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|----------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

¹ Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.
² Sum of gender totals may not add up to SPA total due to records that do not specify gender.
³ N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:


¹ The number of live births per 1,000 total population
² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19
³ Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. Asian/PI is Asian and Pacific Islander
⁴ Live births weighing less than 2,500 grams
⁵ This analysis excludes those with no prenatal care (n = 50) and live births missing source of payment (n = 0).
⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy
⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births
⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths
⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014
July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five. The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.

Selected Perinatal Health Indicators

South Bay - Long Beach Service Planning Area (SPA 8), Los Angeles County, 2014



**First Trimester Onset of Prenatal Care⁶
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| First Trimester Care | 15,081 | 18,397 | 82.0 |
| African American | 1,806 | 2,276 | 79.3 |
| Asian/PI ³ | 2,272 | 2,719 | 83.6 |
| Hispanic | 7,260 | 9,070 | 80.0 |
| Native American | 19 | 28 | 67.9 |
| White | 3,107 | 3,531 | 88.0 |
| Two or More Races | 404 | 506 | 79.8 |

Sum of race/ethnic totals may not add up to SPA total due to records with unspecified race/ethnicity.

Sum of gender totals may not add up to SPA total due to records that do not specify gender.

N/A: Population estimates for "Two or More Races" category not available. N/C: Rates not calculation.

Footnotes:

¹ The number of live births per 1,000 total population

² The number of live births to mothers ages 15-19 at delivery per 1,000 adolescent females ages 15-19

³ Racial/ethnic categorization has been revised in this report; data from adolescent year reports may not be comparable. Asian/PI is Asian and Pacific Islander

⁴ Live births weighing less than 2,500 grams

⁵ This analysis excludes those with no prenatal care (n = 103) and live births missing source of payment (n = 0).

⁶ The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy

⁷ The number of infant deaths occurring at less than 365 days of age per 1,000 live births

⁸ The number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths

⁹ Pending due to unavailability of fetal death data from California Department of Public Health.

**Live Births
by Mother's Race/Ethnicity**

| | Number | Population | Rate ¹ |
|-----------------------|--------|------------|-------------------|
| Total | 18,397 | 1,555,336 | 11.8 |
| African American | 2,276 | 231,212 | 9.8 |
| Asian/PI ³ | 2,719 | 252,208 | 10.8 |
| Hispanic | 9,070 | 623,395 | 14.5 |
| Native American | 28 | 3,703 | 7.6 |
| White | 3,531 | 444,818 | 7.9 |
| Two or More Races | 506 | N/A | N/C |

**Low Birthweight (LBW)⁴ Births
by Mother's Race/Ethnicity**

| | Number | Live Births | Percent |
|-----------------------|--------|-------------|---------|
| Total | 1,292 | 18,397 | 7.0 |
| African American | 241 | 2,276 | 10.6 |
| Asian/PI ³ | 218 | 2,719 | 8.0 |
| Hispanic | 573 | 9,070 | 6.3 |
| Native American | <5 | 28 | N/C |
| White | 192 | 3,531 | 5.4 |
| Two or More Races | 39 | 506 | 7.7 |

**Infant Deaths (less than 365 days of age)
by Gender and Race/Ethnicity**

| | Number | Live Births | Rate ⁷ |
|-----------------------|--------|-------------|-------------------|
| Total | 81 | 18,397 | 4.4 |
| Gender | | | |
| Male | 45 | 9,524 | 4.7 |
| Female | 36 | 8,873 | 4.1 |
| Race/Ethnicity | | | |
| African American | 17 | 2,276 | 7.5 |
| Asian/PI ³ | 8 | 2,719 | 2.9 |
| Hispanic | 41 | 9,070 | 4.5 |
| Native American | <5 | 28 | N/C |
| White | 12 | 3,531 | 3.4 |
| Two or More Races | <5 | 506 | N/C |

**Live Births Among Teen Girls Ages 15-19
by Mother's Race/Ethnicity**

| | Number | Population | Rate ² |
|-----------------------|--------|------------|-------------------|
| Total | 887 | 49,615 | 17.9 |
| African American | 106 | 4,857 | 21.8 |
| Asian/PI ³ | 28 | 7,346 | 3.8 |
| Hispanic | 682 | 26,746 | 25.5 |
| Native American | <5 | 124 | N/C |
| White | 32 | 10,542 | 3.0 |
| Two or More Races | 27 | N/A | N/C |

**Source of Payment
for Prenatal Care⁵**

| | Number | Live Births | Percent |
|-------------------|--------|-------------|---------|
| Total | 18,294 | 18,294 | 100.0 |
| Medi-Cal | 8,251 | 18,294 | 45.1 |
| Other Govt Prog | 335 | 18,294 | 1.8 |
| Private Insurance | 7,924 | 18,294 | 43.3 |
| Self Pay | 373 | 18,294 | 2.0 |
| Other/Unknown | 1,411 | 18,294 | 7.7 |

**Fetal Deaths (20 weeks or more)
by Gender and Race/Ethnicity⁹**

| | Number | Live Births + Fetal Deaths | Rate ⁸ |
|-----------------------|---------|-------------------------------|-------------------|
| Total | pending | pending | pending |
| Gender | | | |
| Male | pending | pending | pending |
| Female | pending | pending | pending |
| Race/Ethnicity | | | |
| African American | pending | pending | pending |
| Asian/PI ³ | pending | pending | pending |
| Hispanic | pending | pending | pending |
| Native American | pending | pending | pending |
| White | pending | pending | pending |
| Two or More Races | pending | pending | pending |

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2014

July 1, 2014 Population Estimates prepared by Walter R. McDonald & Associates, Inc. (WRMA) for Urban Research, LA County CAO released September 30, 2012

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

The mothers' residential zip codes were used to allocate live births, infant and fetal deaths to corresponding SPA. SPA corresponding to each zip codes (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared.