

Preterm Live Births

INDICATOR: Percent of Preterm Live Births

DEFINITION:The percent of live births occurring at less than 37 weeks of gestation.

NUMERATOR: The number of live births occurring at less than 37 weeks of gestation,

by place of residence, in a calendar year

DENOMINATOR: The total number of live births, by place of residence, in a calendar year

HEALTHY PEOPLE 2020 OBJECTIVE:

Reduce preterm births to an incidence of no more than 9.4 percent of live births.

(Objective MICH 9.1: baseline 10.4% in 2007)

RISK FACTORS:

Young or old maternal age; low income; race/ethnicity (African American); short interpregnancy intervals; multiple gestation; poor reproductive history; certain uterine or cervical abnormalities; certain birth defects in the baby; obesity; prior preterm birth; no prenatal care or late entry into prenatal care; low prepregnancy weight; tobacco use during pregnancy; alcohol/substance abuse during pregnancy; low pregnancy weight gain; stress during pregnancy; strenuous exertion during pregnancy; long working hours with long periods of standing; diabetes; high blood pressure; clotting disorders (thrombophilia); vaginal bleeding; vaginal infections; urinary tract infections; domestic violence; being pregnant with a single fetus after in vitro fertilization (IVF)

	California			Los Angeles County				
Year	Preterm Live Birth		95% Confidence Interval		Preterm Live Birth		95% Confidence Interval	
I Gai	Number	Percent	Lower	Upper	Number	Percent	Lower	Upper
2007	60,451	10.7	10.6	10.8	17,314	11.4	11.2	11.6
2008	56,777	10.3	10.2	10.4	16,248	11.0	10.8	11.2
2009	53,081	10.1	10.0	10.2	14,914	10.7	10.5	10.8
2010	43,527	8.6	8.5	8.6	13,493	10.1	10.0	10.3
2011	42,616	8.5	8.4	8.6	13,059	10.0	9.9	10.2
2012	42,427	8.4	8.4	8.5	12,758	9.7	9.5	9.8
2013	41,540	8.4	8.3	8.5	11,688	9.1	8.9	9.3
2014	41,594	8.3	8.2	8.3	11,442	8.8	8.6	8.9
2015	41,600	8.5	8.4	8.5	10,941	8.8	8.6	8.9
2016	42,074	8.6	8.5	8.7	10,979	8.9	8.8	9.1

Denominator: Live Births				
Year	California	LA County		
2007	566,137	151,813		
2008	551,567	147,684		
2009	526,774	139,679		
2010	508,748	133,160		
2011	500,909	130,313		
2012	502,722	131,697		
2013	493,587	128,526		
2014	502,973	130,150		
2015	491,748	124,507		
2016	488,827	122,941		


Year 2020 Objective: Reduce preterm live births to an incidence of no more than 9.4 percent of live births.

Note: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate in 2015 and 2016.

Sources: California Department of Public Health, Center for Health Statistics and Informatics, Vital Records Data and Statistics, 2007-2016.

Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics, Natality public-use data 2007-2016 (for California state data)




Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate in 2015 and 2016.


Sources: California Department of Public Health, Birth Statistical Master Files, 2007-2016.

Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics, Natality public-use data 2007-2016 (for state data)




Los Angeles County, 2016					
Mother's	Preterm l	_ive Birth	95% Confidence Interval		
Race/Ethnicity	Number	Percent	Lower	Upper	
African American	984	11.7	11.0	12.4	
Asian	1,531	7.8	7.4	8.2	
Pacific Islander	29	10.4	6.8	13.9	
Hispanic	6,208	9.2	9.0	9.4	
Native American	18	12.9	7.3	18.4	
White	1,786	7.8	7.5	8.2	
Two or More Races	196	9.8	8.5	11.1	
Other/ Unknown	227	11.3	9.9	12.7	
Total	10,979	8.9	8.8	9.1	

Total Live Births
8,425
19,608
280
67,666
140
22,808
2,005
2,009
122,941




Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on obstetrical estimate.




Los Angeles County, 2016					
Service Planning Area	SF	A	95% Confidence Interval		
(SPA)	Number	Percent	Lower	Upper	
Antelope Valley	564	10.2	9.4	10.9	
San Fernando	2,188	9.1	8.7	9.4	
San Gabriel	1,853	7.7	7.4	8.0	
Metro	1,080	9.2	8.6	9.7	
West	557	8.3	7.7	9.0	
South	1,708	10.2	9.7	10.6	
East	1,380	8.7	8.2	9.1	
South Bay	1,582	9.1	8.7	9.5	
Unknown	67	12.0	9.3	14.7	
Total	10,979	8.9	8.8	9.1	

Total Live Births
5,555
24,165
24,048
11,789
6,678
16,786
15,941
17,420
559
122,941




"Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016					
Mother's Age	Preterm I	Live Birth	95% Confidence Interval		
	Number	Percent	Lower	Upper	
<18	123	8.1	6.7	9.5	
18 to 19	331	8.7	7.8	9.5	
20 to 34	7,285	8.3	8.1	8.5	
35+	3,239	11.0	10.6	11.3	
Other/ Unknown	<5 N/C N/C		N/C		
Total	10,979	8.9	8.8	9.1	


Total Live Births	
1,521	
3,826	
88,056	
29,523	
15	
122,941	



Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.


Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Gestation calculated based on obstetrical estimate.




Los Angeles County, 2016					
Mother's Years of Education	Preterm L	ive Births	95% Confidence Interval		
rears of Education	Number	Percent	Lower	Upper	
0 to 8	561	10.2	9.4	11.0	
9 to 11	1,424	9.6	9.1	10.0	
12	2,695	9.3	8.9	9.6	
13 to 15	2,821	9.0	8.7	9.3	
16 and Over	3,064	8.0	7.7	8.3	
Unknown	414	11.1	10.1	12.1	
Total	10,979	8.9	8.8	9.1	

Total Live Births
5,509
14,905
29,035
31,421
38,326
3,745
122,941
122,941




Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016					
Parity	Preterm L	ive Births	95% Confidence Interval		
	Number	Percent	Lower	Upper	
1	3,976	8.1	7.8	8.3	
2	3,331	8.3	8.1	8.6	
3	1,946	9.8	9.3	10.2	
4	955	11.5	10.8	12.2	
5+	749	13.9	12.9	14.8	
Unknown	22	14.6	8.9 20		
Total	10,979	8.9	8.8	9.1	


Total Live Births
49,205
39,931
19,945
8,309
5,400
151
122,941



Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.


"Parity" is defined as the number of pregnancies resulting in live births to a woman.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016					
Mother's Trimester	Preterm Live Births		95% Confidence Interval		
Prenatal Care Began	Number	Percent	Lower	Upper	
No Prenatal Care	189	32.8	28.9	36.6	
First	8,997	8.8	8.7	9.0	
Second	1,184	8.7	8.2	9.2	
Third	241	6.4	5.6	7.2	
Unknown	368	11.6	10.5	12.7	
Total	10,979	8.9	8.8	9.1	


577
101,858
13,575
3,758
3,173
122,941



Year 2020 Objective: Reduce preterm live births to an incidence of no more than 9.4 percent of live births.


Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016						
Source of Payment for Prenatal Care	Preterm Live Births		95% Confidence Interval			
	Number	Percent	Lower	Upper		
No Prenatal Care	189	32.8	28.9	36.6		
Other Govt Programs	273	10.4	9.3	11.6		
Private Insurance	4,569	8.6	8.4	8.9		
Medi-Cal	5,236	9.2	9.0	9.5		
Self Pay	410	5.6	5.1	6.1		
Other/ Unknown	302	10.9	9.7	12.0		
Total	10,979	8.9	8.8	9.1		


	Total Live Births	
	577	
	2,616	
I	52,971	
	56,687	
	7,311	
	2,779	
	122,941	



Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on obstetrical estimate.

Los Angeles County - Department of Public Health Number of Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016



^{*}Los Angeles County zip code boundaries as of 2010


Total number of live births in Los Angeles County, 2016 = 122,941

Total number of preterm live births in Los Angeles County, 2016 = 10,979

Note: Preterm live births is defined as live births occurring at less than 37 weeks of gestation and greater than or equal to 17 weeks.

Zip code 90704 (Catalina Island) is not included. Total number of preterm live births in 90704, 2016 = < 5


Los Angeles County - Department of Public Health Percent of Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016



Note: Preterm live births is defined as live births occurring at less than 37 weeks of gestation and greater than or equal to 17 weeks per 100 live births. Zip code 90704 (Catalina Island) is not included. Percent of preterm live births in 90704, 2016 = < 5

Source: California Department of Public Health, Birth Statistical Master File, 2016

Percent of preterm live births per 100 live births in Los Angeles County in 2016 = 8.9



Moderate Preterm Live Births

INDICATOR: Percent of Moderate Preterm Live Births

DEFINITION: The percent of live births occurring at 34 weeks to 36 weeks of gestation.

NUMERATOR: The number of live births occurring at 34 weeks to 36 weeks of gestation, by place of residence, in a calendar year

DENOMINATOR: The total number of live births, by place of residence, in a calendar year

HEALTHY PEOPLE 2020 OBJECTIVES:


1) Reduce moderate preterm live births between 34 to 36 weeks of gestation to no more than 6.8 percent of live births; 2) reduce moderate preterm live births between 32 to 33 weeks of gestation to no more than 1.6 percent of live births. (Objective MICH 9.2 baseline: 7.5% in 2007; Objective MICH 9.3 baseline: 1.2% in 2007.)

RISK FACTORS:

Young or old maternal age; low income; race/ethnicity (African American); short interpregnancy intervals; multiple gestation; poor reproductive history; certain uterine or cervical abnormalities; certain birth defects in the baby; obesity; prior preterm birth; no prenatal care or late entry into prenatal care; low prepregnancy weight; tobacco use during pregnancy; alcohol/substance abuse during pregnancy; low pregnancy weight gain; stress during pregnancy; strenuous exertion during pregnancy; long working hours with long periods of standing; diabetes; high blood pressure; clotting disorders (thrombophilia); vaginal bleeding; vaginal infections; urinary tract infections; domestic violence; being pregnant with a single fetus after in vitro fertilization (IVF)


	Los Angeles County				
Year	Moderate	ly Preterm	95% Confidence Interval		
	Number	Percent	Lower	Upper	
2007	14,828	9.8	9.6	9.9	
2008	13,928	9.4	9.3	9.6	
2009	12,770	9.1	9.0	9.3	
2010	11,456	8.6	8.5	8.8	
2011	11,138	8.5	8.4	8.7	
2012	10,897	8.3	8.1	8.4	
2013	9,977	7.8	7.6	7.9	
2014	9,710	7.5	7.3	7.6	
2015	9,246	7.4	7.3	7.6	
2016	9,420	7.7	7.5	7.8	

Denominator: Live Births			
Year	LA County		
2007	151,813		
2008	147,684		
2009	139,679		
2010	133,160		
2011	130,313		
2012	131,697		
2013	128,526		
2014	130,150		
2015	124,507		
2016	122,941		




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate in 2015 and 2016.




Los Angeles County, 2016						
Mother's	Moderate Preterm Live Births		95% Confidence Interval			
Race/Ethnicity	Number	Percent	Lower	Upper		
African American	771	9.2	8.5	9.8		
Asian	1,335	6.8	6.5	7.2		
Pacific Islander	26	9.3	5.9	12.7		
Hispanic	5,363	7.9	7.7	8.1		
Native American	12	8.6	3.9	13.2		
White	1,568	6.9	6.5	7.2		
Two or More Races	161	8.0	6.8	9.2		
Other/ Unknown	184	9.2	7.9	10.4		
Total	9,420	7.7	7.5	7.8		




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016						
Mother's Age	Moderate Preterm Live Births		95% Confidence Interval			
	Number	Percent	Lower	Upper		
<18	105	6.9	5.6	8.2		
18 to 19	289	7.6	6.7	8.4		
20 to 34	6,272	7.1	7.0	7.3		
35+	2,753	9.3	9.0	9.7		
Other/Unknown	<5	N/C	N/C	N/C		
Total	9,420	7.7	7.5	7.8		


Total Live Births	
1,521	
3,826	
88,056	
29,523	
15	
122,941	




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.




Los Angeles County, 2016						
Mother's Years of Education	Moderate Preterm Live Births		95% Confidence Interval			
rears of Education	Number	Percent	Lower	Upper		
0 to 8	480	8.7	8.0	9.5		
9 to 11	1,218	8.2	7.7	8.6		
12	2,318	8.0	7.7	8.3		
13 to 15	2,403	7.6	7.4	7.9		
16 and Over	2,657	6.9	6.7	7.2		
Unknown	344	9.2	8.3	10.1		
Total	9,420	7.7	7.5	7.8		




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016						
Parity	Moderate Preterm Live Births		95% Confidence Interval			
	Number	Percent	Lower	Upper		
1	3,333	6.8	6.6	7.0		
2	2,898	7.3	7.0	7.5		
3	1,716	8.6	8.2	9.0		
4	822	9.9	9.3	10.5		
5+	638	11.8	11.0	12.7		
Unknown	13	8.6	4.1	13.1		
Total	9,420	7.7	7.5	7.8		


Total Live Births
49,205
39,931
19,945
8,309
5,400
151
122,941



Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.


Gestation calculated based on obstetrical estimate.

"Parity" is defined as the number of pregnancies resulting in live births to a woman.




Los Angeles County, 2016					
Mother's Trimester	Moderate P Bir		95% Confidence Interval		
Prenatal Care Began	Number Percent Lower			Upper	
No Prenatal Care	143	24.8	21.3	28.3	
First	7,742	7.6	7.4	7.8	
Second	1,010	7.4	7.0	7.9	
Third	229	6.1	5.3	6.9	
Unknown	296	9.3	8.3	10.3	
Total	9,420	7.7	7.5	7.8	

Total Live Births
577
101,858
13,575
3,758
3,173
122,941




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.




Los Angeles County, 2016						
Source of Payment for	Moderate Preterm Live Births		95% Confidence Interval			Tot B
Prenatal Care	Number	Percent	Lower	Upper		
No Prenatal Care	143	24.8	21.3	28.3		
Other Govt Programs	240	9.2	8.1	10.3		2
Private Insurance	3,901	7.4	7.1	7.6		52
Medi-Cal	4,487	7.9	7.7	8.1		56
Self Pay	381	5.2	4.7	5.7		7
Other/ Unknown	268	9.6	8.5	10.7		2
Total	9,420	7.7	7.5	7.8		12

Total Live Births
577
2,616
52,971
56,687
7,311
2,779
122,941




Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016				
Service Planning	SF	PA	95% Confidence Interval	
Area (SPA)	Number	Percent	Lower	Upper
Antelope Valley	457	8.2	7.5	8.9
San Fernando	1,926	8.0	7.6	8.3
San Gabriel	1,616	6.7	6.4	7.0
Metro	940	8.0	7.5	8.5
West	471	7.1	6.4	7.7
South	1,409	8.4	8.0	8.8
East	1,185	7.4	7.0	7.8
South Bay	1,360	7.8	7.4	8.2
Unknown	56	10.0	7.5	12.5
Total	9,420	7.7	7.5	7.8


Births
5,555
24,165
24,048
11,789
6,678
16,786
15,941
17,420
559
122,941



Notes: "Moderate Preterm Live Births" is defined as live births occurring at 34 weeks through 36 weeks of gestation.

Gestation calculated based on obstetrical estimate.

Los Angeles County - Department of Public Health Number of Moderate Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016



*Los Angeles County zip code boundaries as of 2016 Total number of live births in Los Angeles County, 2016 = 122,941

Total number of moderate preterm live births in Los Angeles County, 2016 = 9,566


Note: Moderate preterm live births is defined as live births occurring at 32 weeks through 36 weeks of gestation.

Zip code 90704 (Catalina Island) is not included. Total number of moderate preterm live births in 90704 in 2016 = < 5

Source: California Department of Public Health, Birth Statistical Master File, 2016

n = total number of zip codes within range

Los Angeles County - Department of Public Health Percent of Moderate Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016




Total number of live births in Los Angeles County, 2016 = 122,941

Total number of moderate preterm live births in Los Angeles County, 2016 = 9,420

Note: Moderate preterm live births is defined as live births occurring at 32 weeks through 36 weeks of gestation.

Zip code 90704 (Catalina Island) is not included. Total number of moderate preterm live births in 90704, 2016 = < 5



Early Preterm Live Births

INDICATOR: Percent of Early Preterm Live Births

DEFINITION: The percent of live births occurring at less than 32 weeks of gestation.

NUMERATOR: The number of live births occurring at less than 32 weeks of gestation,

by place of residence, in a calendar year

DENOMINATOR: The total number of live births, by place of residence, in a calendar year

HEALTHY PEOPLE 2020 OBJECTIVE:

Reduce early preterm births to an incidence of no more than 1.5 percent of live births.

(Baseline: 1.7 percent in 2007) (Objective MICH-9.4)

RISK FACTORS:


Young or old maternal age; low income; race/ethnicity (African American); short interpregnancy intervals; multiple gestation; poor reproductive history; certain uterine or cervical abnormalities; certain birth defects in the baby; obesity; prior preterm birth; no prenatal care or late entry into prenatal care; low prepregnancy weight; tobacco use during pregnancy; alcohol/substance abuse during pregnancy; low pregnancy weight gain; stress during pregnancy; strenuous exertion during pregnancy; long working hours with long periods of standing; diabetes; high blood pressure; clotting disorders (thrombophilia); vaginal bleeding; vaginal infections; urinary tract infections; domestic violence; being pregnant with a single fetus after in vitro fertilization (IVF)

	Los Angeles County			
Year	Early F	Preterm	95% Confide	ence Interval
i eai	Number		Lower	Upper
2007	2,486	1.6	1.6	1.7
2008	2,320	1.6	1.5	1.6


Year Early Preterm		Preterm	95% Confidence Interval	
i eai	Number Percent		Lower	Upper
2007	2,486	1.6	1.6	1.7
2008	2,320	1.6	1.5	1.6
2009	2,144	1.5	1.5	1.6
2010	2,037	1.5	1.5	1.6
2011	1,921	1.5	1.4	1.5
2012	1,861	1.4	1.3	1.5
2013	1,711	1.3	1.3	1.4
2014	1,732	1.3	1.3	1.4
2015	1,695	1.4	1.3	1.4
2016	1,559	1.3	1.2	1.3

Denominator: Live Births			
Year	LA County		
2007	151,813		
2008	147,684		
2009	139,679		
2010	133,160		
2011	130,313		
2012	131,697		
2013	128,526		
2014	130,150		
2015	124,507		
2016	122,941		

Note: Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate in 2015 and 2016.



Note: Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate in 2015 and 2016.




Hispanic

White

Los Angeles County, 2016					
Mother's Race/Ethnicity	Early P Live E		95% Confidence Interval		
Race/Ethinicity	Number	Percent	Lower	Upper	
African American	213	2.5	2.2	2.9	
Asian	196	1.0	0.9	1.1	
Hispanic	845	1.2	1.2	1.3	
Native American	6	4.3	0.9	7.6	
White	218	1.0	0.8	1.1	
Two or More Races	32	1.6	1.0	2.1	
Pacific Islander	<5	N/C	N/C	N/C	
Other/ Unknown	53	2.6	1.9	3.3	
Total	1,559	1.3	1.2	1.3	

African American

ı	Mother's Ra	ace	/Ethnicity
Í	Total Live Births		
	8,425		
	19,608		
	67,666		
	140		Whi
	22,808		13.9
	2,005		
	280		
	2,009		
	122,941		
,		-	



Two or More Races

Other/ Unknown


Year 2020 Objective: Reduce early preterm live births to an incidence of no more than 1.5 percent of live births.

Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.

Asian


Gestation calculated based on obstetrical estimate.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.



Los Angeles County, 2016						
Mother's Age	Early Preterm Live Births		95% Confidence Interval			
	Number	Percent	Lower	Upper		
<18	18	1.2	0.6	1.7		
18 to 19	42	1.1	0.8	1.4		
20 to 34	1,013	1.2	1.1	1.2		
35+	486	1.6	1.5	1.8		
Other/Unknown	<5	N/C	N/C	N/C		
Total	1,559	1.3	1.2	1.3		


Total Live Births
1,521
3,826
88,056
29,523
15
122,941



Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.


Gestation calculated based on obstetrical estimate.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.




Los Angeles County, 2016					
Mother's Years of Education	Early Preterm Live Births		95% Confidence Interval		
rears of Education	Number	Percent	Lower	Upper	
0 to 8	81	1.5	1.2	1.8	
9 to 11	206	1.4	1.2	1.6	
12	377	1.3	1.2	1.4	
13 to 15	418	1.3	1.2	1.5	
16 and Over	407	1.1	1.0	1.2	
Unknown	70	1.9	1.4	2.3	
Total	1,559	1.3	1.2	1.3	

Total Live Births	
5,509	
14,905	
29,035	
31,421	
38,326	
3,745	
122,941	




Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016					
Parity	Early Preterm Live Births		95% Confidence Interval		
	Number	Percent	Lower	Upper	
1	643	1.3	1.2	1.4	
2	433	1.1	1.0	1.2	
3	230	1.2	1.0	1.3	
4	133	1.6	1.3	1.9	
5+	111	2.1	1.7	2.4	
Unknown	9	6.0	2.2	9.7	
Total	1,559	1.3	1.2	1.3	


Total Live Births	
49,205	
39,931	
19,945	
8,309	
5,400	
151	
122,941	




Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.


Gestation calculated based on obstetrical estimate.

"Parity" is defined as the number of pregnancies resulting in live births to a woman.



Los Angeles County, 2016						
Mother's Trimester	Early Preterm Live Births		95% Confidence Interval			
Prenatal Care Began	Number	Percent	Lower	Upper		
First	1,255	1.2	1.2	1.3		
Second	174	1.3	1.1	1.5		
Third	12	0.3	0.1	0.5		
Unknown	72	2.3	1.8	2.8		
Total	1,513	1.3	1.2	1.3		






Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.


"Trimester Prenatal Care (PNC) Began" excludes women who did not receive prenatal care (n=577) and the prenatal care experiences of all women whose pregnancies did not result in a live birth.

Gestation calculated based on obstetrical estimate.



Los Angeles County, 2016						
Source of Payment for Prenatal Care	Early P Live E		95% Confidence Interval			
Fieliatai Cale	Number	Percent	Lower	Upper		
Other Govt Programs	33	1.3	0.8	1.7		
Private Insurance	668	1.3	1.2	1.4		
Medi-Cal	749	1.3	1.2	1.4		
Self Pay	29	0.4	0.3	0.5		
Other/ Unknown	34	1.2	0.8	1.6		
Total	1,513	1.3	1.2	1.3		

Total Live Births
2,616
52,971
56,687
7,311
2,779
122,364




Notes: Gestation calculated based on obstetrical estimate.


"Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.


"Source of Payment for Prenatal Care (PNC)" excludes women who did not receive prenatal care (n=577) and the prenatal care experiences of all women whose pregnancies did not result in a live birth.

care expensioned of all women whose programmes are not recall in a live shall



Los Angeles County, 2016						
Service Planning Area (SPA)	SF	PA	95% Confidence Interval			
	Number	Percent	Lower	Upper		
Antelope Valley	107	1.9	1.6	2.3		
San Fernando	262	1.1	1.0	1.2		
San Gabriel	237	1.0	0.9	1.1		
Metro	140	1.2	1.0	1.4		
West	86	1.3	1.0	1.6		
South	299	1.8	1.6	2.0		
East	195	1.2	1.1	1.4		
South Bay	222	1.3	1.1	1.4		
Unknown	11	2.0	0.8	3.1		
Total	1,559	1.3	1.2	1.3		






Note: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.

Gestation calculated based on obstetrical estimate.

Los Angeles County - Department of Public Health Number of Early Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016




Total number of live births in Los Angeles County, 2016 = 122,941

Total number of early preterm live births in Los Angeles County, 2016 = 1,559

Note: Early preterm live births is defined as live births occurring at less than 32 weeks of gestation and greater than or equal to 17 weeks. Zip code 90704 (Catalina Island) is not included. Total number of early preterm live births in 90704, 2016 = < 5.

Los Angeles County - Department of Public Health Percent of Early Preterm Live Births by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2016



Zip code 90704 (Catalina Island) is not included. Percent of early preterm live births in 90704, 2016 = < 5.