

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
00000	177	38	21.5	110	62.1	29	16.4
07740	*	*	*	*	*	*	*
90000	*	*	*	*	*	*	*
90001	1,446	308	21.3	874	60.4	264	18.3
90002	1,103	258	23.4	680	61.7	165	15.0
90003	1,494	361	24.2	913	61.1	220	14.7
90004	1,202	209	17.4	939	78.1	54	4.5
90005	826	158	19.1	609	73.7	59	7.1
90006	1,240	260	21.0	854	68.9	126	10.2
90007	636	151	23.7	408	64.2	77	12.1
90008	477	102	21.4	297	62.3	78	16.4
90010	17	4	23.5	10	58.8	3	17.6
90011	2,732	747	27.3	1,570	57.5	415	15.2
90012	256	67	26.2	173	67.6	16	6.3
90013	43	18	41.9	22	51.2	3	7.0
90014	25	4	16.0	18	72.0	3	12.0
90015	315	90	28.6	192	61.0	33	10.5
90016	747	172	23.0	496	66.4	79	10.6
90017	435	109	25.1	288	66.2	38	8.7
90018	845	217	25.7	546	64.6	82	9.7
90019	1,054	189	17.9	772	73.2	93	8.8
90020	806	135	16.7	632	78.4	39	4.8
90021	44	11	25.0	28	63.6	5	11.4
90022	1,463	342	23.4	1,054	72.0	67	4.6
90023	1,098	281	25.6	768	69.9	49	4.5
90024	286	28	9.8	237	82.9	21	7.3
90025	399	35	8.8	337	84.5	27	6.8
90026	1,243	274	22.0	904	72.7	65	5.2
90027	545	79	14.5	437	80.2	29	5.3
90028	397	52	13.1	318	80.1	27	6.8
90029	735	116	15.8	585	79.6	34	4.6
90031	729	137	18.8	537	73.7	55	7.5
90032	869	176	20.3	629	72.4	64	7.4
90033	1,078	235	21.8	791	73.4	52	4.8

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
90034	849	106	12.5	670	78.9	73	8.6
90035	380	50	13.2	303	79.7	27	7.1
90036	368	46	12.5	289	78.5	33	9.0
90037	1,288	336	26.1	738	57.3	214	16.6
90038	507	69	13.6	408	80.5	30	5.9
90039	383	61	15.9	296	77.3	26	6.8
90040	216	41	19.0	164	75.9	11	5.1
90041	346	46	13.3	271	78.3	29	8.4
90042	1,214	212	17.5	916	75.5	86	7.1
90043	668	141	21.1	434	65.0	93	13.9
90044	1,855	398	21.5	1,174	63.3	283	15.3
90045	500	48	9.6	415	83.0	37	7.4
90046	309	30	9.7	243	78.6	36	11.7
90047	735	148	20.1	492	66.9	95	12.9
90048	198	17	8.6	165	83.3	16	8.1
90049	303	20	6.6	260	85.8	23	7.6
90056	67	8	11.9	51	76.1	8	11.9
90057	928	193	20.8	639	68.9	96	10.3
90058	89	25	28.1	46	51.7	18	20.2
90059	851	171	20.1	581	68.3	99	11.6
90061	582	117	20.1	401	68.9	64	11.0
90062	550	119	21.6	368	66.9	63	11.5
90063	1,229	317	25.8	843	68.6	69	5.6
90064	330	41	12.4	258	78.2	31	9.4
90065	853	174	20.4	638	74.8	41	4.8
90066	733	95	13.0	580	79.1	58	7.9
90067	16	*	*	13	81.3	3	18.8
90068	188	11	5.9	165	87.8	12	6.4
90069	129	15	11.6	106	82.2	8	6.2
90071	*	*	*	*	*	*	*
90073	*	*	*	*	*	*	*
90077	113	10	8.8	89	78.8	14	12.4
90097	*	*	*	*	*	*	*
90099	*	*	*	*	*	*	*
90200	*	*	*	*	*	*	*
90201	2,512	555	22.1	1,609	64.1	348	13.9
90210	229	15	6.6	184	80.3	30	13.1
90211	74	13	17.6	52	70.3	9	12.2
90212	75	9	12.0	61	81.3	5	6.7

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
90220	1,022	221	21.6	649	63.5	152	14.9
90221	1,308	277	21.2	763	58.3	268	20.5
90222	648	132	20.4	414	63.9	102	15.7
90230	356	60	16.9	260	73.0	36	10.1
90232	191	27	14.1	156	81.7	8	4.2
90240	336	65	19.3	252	75.0	19	5.7
90241	729	112	15.4	550	75.4	67	9.2
90242	733	152	20.7	508	69.3	73	10.0
90243	*	*	*	*	*	*	*
90245	192	21	10.9	155	80.7	16	8.3
90246	3	*	*	3	100.0	*	*
90247	778	116	14.9	578	74.3	84	10.8
90248	135	17	12.6	104	77.0	14	10.4
90249	401	42	10.5	324	80.8	35	8.7
90250	1,916	317	16.5	1,379	72.0	220	11.5
90254	224	11	4.9	195	87.1	18	8.0
90255	1,822	362	19.9	1,091	59.9	369	20.3
90260	587	94	16.0	422	71.9	71	12.1
90262	1,655	351	21.2	1,029	62.2	275	16.6
90263	*	*	*	*	*	*	*
90265	143	12	8.4	123	86.0	8	5.6
90266	477	17	3.6	420	88.1	40	8.4
90270	670	134	20.0	444	66.3	92	13.7
90272	263	15	5.7	225	85.6	23	8.7
90274	216	14	6.5	171	79.2	31	14.4
90275	332	25	7.5	266	80.1	41	12.3
90277	389	34	8.7	300	77.1	55	14.1
90278	590	36	6.1	487	82.5	67	11.4
90280	2,114	400	18.9	1,365	64.6	349	16.5
90288	*	*	*	*	*	*	*
90290	61	6	9.8	51	83.6	4	6.6
90291	329	38	11.6	261	79.3	30	9.1
90292	155	14	9.0	133	85.8	8	5.2
90293	98	10	10.2	81	82.7	7	7.1
90300	*	*	*	*	*	*	*
90301	814	154	18.9	561	68.9	99	12.2
90302	573	104	18.2	391	68.2	78	13.6
90303	606	115	19.0	402	66.3	89	14.7
90304	668	125	18.7	450	67.4	93	13.9

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
90305	149	31	20.8	105	70.5	13	8.7
90320	*	*	*	*	*	*	*
90342	*	*	*	*	*	*	*
90401	33	8	24.2	25	75.8	*	*
90402	136	4	2.9	118	86.8	14	10.3
90403	215	21	9.8	173	80.5	21	9.8
90404	183	20	10.9	143	78.1	20	10.9
90405	241	27	11.2	198	82.2	16	6.6
90460	*	*	*	*	*	*	*
90501	654	94	14.4	485	74.2	75	11.5
90502	278	25	9.0	218	78.4	35	12.6
90503	454	35	7.7	361	79.5	58	12.8
90504	338	33	9.8	263	77.8	42	12.4
90505	379	26	6.9	305	80.5	48	12.7
90506	*	*	*	*	*	*	*
90601	513	87	17.0	388	75.6	38	7.4
90602	440	81	18.4	304	69.1	55	12.5
90603	216	36	16.7	165	76.4	15	6.9
90604	553	98	17.7	408	73.8	47	8.5
90605	718	140	19.5	488	68.0	90	12.5
90606	559	127	22.7	381	68.2	51	9.1
90620	3	*	*	3	100.0	*	*
90621	*	*	*	*	*	*	*
90623	*	*	*	*	*	*	*
90626	*	*	*	*	*	*	*
90630	4	*	*	4	100.0	*	*
90631	28	4	14.3	21	75.0	3	10.7
90638	615	92	15.0	482	78.4	41	6.7
90639	*	*	*	*	*	*	*
90640	1,080	207	19.2	817	75.6	56	5.2
90650	1,873	378	20.2	1,270	67.8	225	12.0
90660	1,106	232	21.0	784	70.9	90	8.1
90670	230	41	17.8	166	72.2	23	10.0
90701	264	59	22.3	177	67.0	28	10.6
90703	476	76	16.0	369	77.5	31	6.5
90704	46	3	6.5	39	84.8	4	8.7
90706	1,315	250	19.0	937	71.3	128	9.7
90710	448	96	21.4	304	67.9	48	10.7
90712	412	66	16.0	331	80.3	15	3.6

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
90713	314	48	15.3	245	78.0	21	6.7
90715	328	59	18.0	249	75.9	20	6.1
90716	314	78	24.8	228	72.6	8	2.5
90717	337	47	13.9	241	71.5	49	14.5
90723	1,269	235	18.5	765	60.3	269	21.2
90731	1,034	306	29.6	632	61.1	96	9.3
90732	264	45	17.0	196	74.2	23	8.7
90741	*	*	*	*	*	*	*
90744	1,231	335	27.2	786	63.9	110	8.9
90745	922	166	18.0	655	71.0	101	11.0
90746	277	61	22.0	199	71.8	17	6.1
90747	*	*	*	*	*	*	*
90760	*	*	*	*	*	*	*
90802	689	143	20.8	492	71.4	54	7.8
90803	310	38	12.3	249	80.3	23	7.4
90804	822	154	18.7	593	72.1	75	9.1
90805	1,817	385	21.2	1,237	68.1	195	10.7
90806	1,040	237	22.8	707	68.0	96	9.2
90807	423	69	16.3	329	77.8	25	5.9
90808	480	66	13.8	396	82.5	18	3.8
90810	587	130	22.1	397	67.6	60	10.2
90812	3	*	*	3	100.0	*	*
90813	1,646	442	26.9	1,043	63.4	161	9.8
90814	243	33	13.6	187	77.0	23	9.5
90815	420	34	8.1	361	86.0	25	6.0
90818	*	*	*	*	*	*	*
90822	*	*	*	*	*	*	*
91001	487	86	17.7	344	70.6	57	11.7
91006	344	40	11.6	288	83.7	16	4.7
91007	360	49	13.6	297	82.5	14	3.9
91010	438	70	16.0	337	76.9	31	7.1
91011	131	12	9.2	107	81.7	12	9.2
91016	655	108	16.5	516	78.8	31	4.7
91020	73	6	8.2	67	91.8	*	*
91024	107	11	10.3	91	85.0	5	4.7
91030	243	35	14.4	179	73.7	29	11.9
91040	214	33	15.4	172	80.4	9	4.2
91042	361	70	19.4	264	73.1	27	7.5
91101	268	54	20.1	176	65.7	38	14.2

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
91103	504	95	18.8	345	68.5	64	12.7
91104	633	107	16.9	446	70.5	80	12.6
91105	125	11	8.8	104	83.2	10	8.0
91106	370	59	15.9	272	73.5	39	10.5
91107	428	55	12.9	324	75.7	49	11.4
91108	105	10	9.5	86	81.9	9	8.6
91123	*	*	*	*	*	*	*
91170	*	*	*	*	*	*	*
91200	*	*	*	*	*	*	*
91201	296	52	17.6	234	79.1	10	3.4
91202	234	20	8.5	208	88.9	6	2.6
91203	187	31	16.6	151	80.7	5	2.7
91204	266	59	22.2	201	75.6	6	2.3
91205	534	106	19.9	409	76.6	19	3.6
91206	354	51	14.4	292	82.5	11	3.1
91207	116	13	11.2	103	88.8	*	*
91208	209	19	9.1	183	87.6	7	3.3
91214	280	35	12.5	236	84.3	9	3.2
91234	*	*	*	*	*	*	*
91270	*	*	*	*	*	*	*
91301	216	11	5.1	200	92.6	5	2.3
91302	233	14	6.0	214	91.8	5	2.1
91303	492	62	12.6	407	82.7	23	4.7
91304	793	89	11.2	678	85.5	26	3.3
91306	674	72	10.7	579	85.9	23	3.4
91307	252	18	7.1	224	88.9	10	4.0
91311	391	31	7.9	349	89.3	11	2.8
91316	309	21	6.8	275	89.0	13	4.2
91320	*	*	*	*	*	*	*
91321	525	104	19.8	389	74.1	32	6.1
91323	3	*	*	3	100.0	*	*
91324	358	52	14.5	296	82.7	10	2.8
91325	382	42	11.0	323	84.6	17	4.5
91326	280	33	11.8	236	84.3	11	3.9
91330	3	*	*	3	100.0	*	*
91331	2,075	389	18.7	1,595	76.9	91	4.4
91335	1,075	129	12.0	897	83.4	49	4.6
91340	729	162	22.2	543	74.5	24	3.3
91342	1,482	316	21.3	1,094	73.8	72	4.9

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
91343	1,093	180	16.5	868	79.4	45	4.1
91344	583	79	13.6	483	82.8	21	3.6
91345	298	48	16.1	245	82.2	5	1.7
91350	510	80	15.7	415	81.4	15	2.9
91351	951	148	15.6	764	80.3	39	4.1
91352	844	210	24.9	613	72.6	21	2.5
91354	327	31	9.5	292	89.3	4	1.2
91355	266	32	12.0	231	86.8	3	1.1
91356	329	23	7.0	296	90.0	10	3.0
91360	*	*	*	*	*	*	*
91361	51	7	13.7	51	100.0	*	*
91362	7	*	*	7	100.0	*	*
91364	289	16	5.5	262	90.7	11	3.8
91367	442	32	7.2	398	90.0	12	2.7
91377	80	*	*	75	93.8	5	6.3
91381	229	21	9.2	205	89.5	3	1.3
91384	286	49	17.1	233	81.5	4	1.4
91400	*	*	*	*	*	*	*
91401	634	101	15.9	507	80.0	26	4.1
91402	1,511	293	19.4	1,157	76.6	61	4.0
91403	266	27	10.2	222	83.5	17	6.4
91405	1,098	192	17.5	865	78.8	41	3.7
91406	995	155	15.6	798	80.2	42	4.2
91411	420	57	13.6	342	81.4	21	5.0
91423	346	30	8.7	304	87.9	12	3.5
91436	146	6	4.1	129	88.4	11	7.5
91485	*	*	*	*	*	*	*
91501	215	32	14.9	176	81.9	7	3.3
91502	149	22	14.8	121	81.2	6	4.0
91504	271	40	14.8	225	83.0	6	2.2
91505	329	35	10.6	285	86.6	9	2.7
91506	200	24	12.0	176	88.0	*	*
91600	*	*	*	*	*	*	*
91601	592	78	13.2	488	82.4	26	4.4
91602	171	16	9.4	148	86.5	7	4.1
91604	274	25	9.1	241	88.0	8	2.9
91605	1,092	193	17.7	856	78.4	43	3.9
91606	785	113	14.4	635	80.9	37	4.7
91607	370	66	17.8	279	75.4	25	6.8

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
91608	*	*	*	*	*	*	*
91702	1,170	231		882	75.4	57	4.9
91706	1,656	295	17.8	1,270	76.7	91	5.5
91709	7	*	*	7	100.0	*	*
91710	*	*	*	*	*	*	*
91711	287	33	11.5	245	85.4	9	3.1
91719	*	*	*	*	*	*	*
91722	542	79	14.6	428	79.0	35	6.5
91723	286	37	12.9	228	79.7	21	7.3
91724	321	39	12.1	268	83.5	14	4.4
91730	*	*	*	*	*	*	*
91731	607	119	19.6	452	74.5	36	5.9
91732	1,486	279	18.8	1,139	76.6	68	4.6
91733	1,069	217	20.3	818	76.5	34	3.2
91740	334	56	16.8	268	80.2	10	3.0
91741	248	29	11.7	213	85.9	6	2.4
91744	1,848	360	19.5	1,347	72.9	141	7.6
91745	649	99	15.3	492	75.8	58	8.9
91746	606	103	17.0	468	77.2	35	5.8
91748	643	114	17.7	487	75.7	42	6.5
91750	371	40	10.8	319	86.0	12	3.2
91752	*	*	*	*	*	*	*
91754	425	59	13.9	346	81.4	20	4.7
91755	338	51	15.1	268	79.3	19	5.6
91759	*	*	*	*	*	*	*
91761	3	*	*	3	100.0	*	*
91763	6	*	*	6	100.0	*	*
91764	*	*	*	*	*	*	*
91765	564	79	14.0	461	81.7	24	4.3
91766	1,525	222	14.6	1,264	82.9	39	2.6
91767	971	160	16.5	788	81.2	23	2.4
91768	637	95	14.9	530	83.2	12	1.9
91770	996	161	16.2	799	80.2	36	3.6
91773	401	61	15.2	327	81.5	13	3.2
91775	324	35	10.8	263	81.2	26	8.0
91776	669	104	15.5	539	80.6	26	3.9
91777	*	*	*	*	*	*	*
91780	394	53	13.5	326	82.7	15	3.8
91786	4	*	*	4	100.0	*	*

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
91789	433	57	13.2	351	81.1	25	5.8
91790	777	130	16.7	600	77.2	47	6.0
91791	459	67	14.6	356	77.6	36	7.8
91792	480	72	15.0	380	79.2	28	5.8
91794	*	*	*	*	*	*	*
91800	*	*	*	*	*	*	*
91801	862	131	15.2	671	77.8	60	7.0
91803	450	74	16.4	346	76.9	30	6.7
91805	*	*	*	*	*	*	*
91810	*	*	*	*	*	*	*
92316	*	*	*	*	*	*	*
92322	*	*	*	*	*	*	*
92324	*	*	*	*	*	*	*
92329	*	*	*	*	*	*	*
92335	*	*	*	*	*	*	*
92336	*	*	*	*	*	*	*
92345	*	*	*	*	*	*	*
92354	*	*	*	*	*	*	*
92376	*	*	*	*	*	*	*
92377	*	*	*	*	*	*	*
92397	*	*	*	*	*	*	*
92404	*	*	*	*	*	*	*
92407	*	*	*	*	*	*	*
92508	*	*	*	*	*	*	*
92557	*	*	*	*	*	*	*
92562	*	*	*	*	*	*	*
92570	*	*	*	*	*	*	*
92571	*	*	*	*	*	*	*
92614	*	*	*	*	*	*	*
92648	*	*	*	*	*	*	*
92688	*	*	*	*	*	*	*
92707	*	*	*	*	*	*	*
92802	*	*	*	*	*	*	*
92804	*	*	*	*	*	*	*
92808	*	*	*	*	*	*	*
92821	*	*	*	*	*	*	*
92840	*	*	*	*	*	*	*
92841	3	*	*	3	100.0	*	*
92880	*	*	*	*	*	*	*

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations

Adequacy of Prenatal Care Utilization (APNCU) Index by Zip Code[^]

Los Angeles County, 2000

Zip Code	Total Births	Number Inadequate APNCU Index	Percent Inadequate APNCU Index	Number Adequate APNCU Index	Percent Adequate APNCU Index	Number Unknown APNCU Index	Percent Unknown APNCU Index
92881	*	*	*	*	*	*	*
92882	*	*	*	*	*	*	*
93010	*	*	*	*	*	*	*
93021	*	*	*	*	*	*	*
93065	*	*	*	*	*	*	*
93225	*	*	*	*	*	*	*
93243	*	*	*	*	*	*	*
93505	*	*	*	*	*	*	*
93510	51	10	19.6	41	80.4	*	*
93532	32	*	*	32	100.0	*	*
93534	668	133	19.9	501	75.0	34	5.1
93535	939	176	18.7	726	77.3	37	3.9
93536	591	68	11.5	506	85.6	17	2.9
93543	155	26	16.8	123	79.4	6	3.9
93544	4	4	100.0	*	*	*	*
93550	1,371	279	20.4	1,041	75.9	51	3.7
93551	370	46	12.4	317	85.7	7	1.9
93552	372	67	18.0	292	78.5	13	3.5
93553	20	3	15.0	17	85.0	*	*
93591	95	13	13.7	77	81.1	5	5.3
95051	*	*	*	*	*	*	*

Definition: The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index developed (APNCU) by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.

[^] Los Angeles zip codes as of April 2000.

*= fewer than 3 observations